

LAND USE AND ZONING COMMITTEE AMENDMENT

The Land Use and Zoning Committee offers the following amendment to File No. 2024-534:

- (1) On **page 1, line 23**, after "PUD;" **insert** "PUD SUBJECT TO CONDITIONS;"
- (2) On **page 3, line 12½**, **insert** a new Section 2 to read as follows:

"Section 2. Rezoning Approved Subject to Conditions. This rezoning is approved subject to the following conditions. Such conditions control over the Written Description and the Site Plan and may only be amended through a rezoning:

- (1) The maximum building height shall not exceed 50 feet for commercial uses.
 - (2) All sag lenses, drop lenses and convex lenses shall be prohibited. Illumination levels at all property lines shall not exceed one-half (0.5) foot candles ("f.c.") when the building or parking areas are located adjacent to residential areas. All lighting lamp sources within parking and pedestrian areas shall be metal halide, compact fluorescent or LED. The maximum light pole height in all parking areas should not exceed fifteen (15) feet. An exterior lighting design plan, including a photometrics plan, pole and fixtures schedules shall be submitted at the time of Verification of Substantial Compliance for review and approval by the Planning and Development Department."
- (3) Renumber the remaining Sections accordingly;

(4) On **page 1, line 1**, amend the introductory sentence to add that the bill was amended as reflected herein.

Form Approved:

 /s/ Dylan Reingold

Office of General Counsel

Legislation Prepared By: Dylan Reingold

GC-#1648069-v1-2024-534_LUZ_Amendment.docx