## HOLD HARMLESS COVENANT

whose address is 2502 N. Rocky Pointe Drive, Suite	day of, 2025, by <b>Hawk Normandy LLC., 1050, Tampa, Florida 33607</b> ("Grantor") in favor of the <b>CITY OF</b> on and municipal corporation existing under the laws of the State of et, Jacksonville, Florida 32202 ("City").
ORDINANCE 2025, a copy of which is attac near RE# 002398-0100 in Council District 12 and esta	onment of City right-of-way or easement areas pursuant to CITY hed hereto and incorporated by reference (the "Ordinance"), located blished in the Plat of Maxville Farms as recorded in Official Public Page 94, and as established in the Plat of Jacksonville Heights rds of Duval County, Florida at Plat Book 5 Page 93.
members, officials, officers, employees, and agents a expense of whatever kind or nature (including, but not injury (whether mental or corporeal) to persons, includ use of the abandoned right-of-way or easement areas, incorporated herein by reference (the "Property"); inc flooding or erosion. This <b>Hold Harmless Covenant</b> sha	indemnifies, and will defend CITY OF JACKSONVILLE, its gainst any claim, action, loss, damage, injury, liability, cost and by way of limitation, attorney fees and court costs) arising out of ing death, or damage to property, arising out of or incidental to the more particularly described in <b>Exhibit "A"</b> , attached hereto and luding, but not limited to such injuries or damages resulting from all run with the real property described in <b>Exhibit "A"</b> . The adjacent f the abandonment shall be responsible for maintaining the Property.
the City or JEA of their reserved easement rights, if any, In the event that such easement rights are reserved by C fences, hedges, and landscaping is permissible but subj Grantor, its successors and assigns, for any repairs to o and assigns, shall indemnify, defend, and hold City and judgment, cost, or expense for injury to persons (includestruction), in any manner resulting from or arising out	ucted by any permanent improvements that may impede the use by under the provisions of the reserved easement and/or the Ordinance. City or JEA: (a) the construction of driveways and the installation of ject to removal or damage by the City or JEA at the expense of the or replacement of the improvements; and (b) Grantor, its successors d JEA harmless from, any and all loss, damage, action, claim, suit, uding death) or damage to property and improvements (including to of the installation, replacement, maintenance or failure to maintain, tement area by Grantor, its successors or assigns, and the City's or
Signed and Sealed in Our Presence:	GRANTOR:
(Sign)	By:
	Name:
(Print)	Title:
(Sign)	
(Print)	
STATE OF FLORIDA COUNTY OF DUVAL	
The foregoing instrument was acknowledged before me by r	means of □ physical presence or □ online notarization, this day of
{NOTARY SEAL}	
	[Signature of Notary Public-State of Florida]
	[Name of Notary Typed, Printed, or Stamped]
Personally Known OR Produced Identification Type of Identification Produced	

# SKETCH & DESCRIPTION - NOT A BOUNDARY SURVEY EXHIBIT "A"

LEGAL DESCRIPTION

A TRACT OF LAND BEING A 15 FOOT PLATTED RIGHT OF WAY, LYING EAST OF FARM 17 AND SOUTH AND EAST OF FARM 32, SECTION 25, TOWNSHIP 225 SOUTH, RANGE 23 EAST IN THE PLAT OF MAXVILLE AND THE MAXVILLE FARMS AS RECORDED IN PLAT BOOK 3, PAGE 94, OF THE PUBLIC RECORDS OF DUVAL COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHEAST CORNER OF SAID FARM 32, IN SAID PLAT OF MAXVILLE FARM FOR THE <u>POINT OF BEGINNING</u>; THENCE NORTH 00°21'57" EAST ALONG THE EAST BOUNDARY OF SAID FARM 17 AND FARM 32, A DISTANCE OF 1,775.87 FEET; THENCE NORTH 48°10'04" EAST, A DISTANCE OF 20.38 FEET; THENCE SOUTH 00°21'58" WEST PARALLEL TO AND 15 FEET EAST OF THE EAST BOUNDARY OF SAID FARM 17 AND FARM 32, A DISTANCE OF 1,805.06 FEET; THENCE NORTH 88°00'19" WEST PARALLEL TO AND 15 FOOT SOUTH OF THE SOUTH BOUNDARY OF SAID FARM 32 OF SAID MAXVILLE FARMS, A DISTANCE OF 306.55 FEET; THENCE NORTH 52°13'07" WEST, A DISTANCE OF 25.76 FEET TO A POINT ON THE SOUTH BOUNDARY OF SAID FARM 32; THENCE SOUTH 88°00'19" EAST ALONG SAID LINE, A DISTANCE OF 311.91 FEET TO THE POINT OF BEGINNING.

CONTAINING 31,687.89 SQUARE FEET OR 0 73 ACRES, MORE OR LESS

APPROVED

DESCRIPTION AGREES
WITH MAP

CITY ENGINEERS OFFICE
TOPO/SURVEY BRANCH

By SCL Date 9/12/15

#### LEGEND:

LB = LICENSED BUSINESS
ORB = OFFICIAL RECORD BOOK

ORB = OFFICI PG = PAGE

AARON J. MURPHY, PSM

PB = PLAT BOOK

POB = POINT OF BEGINNING
POC = POINT OF COMMENCEMENT

PSM = PROFESSIONAL SURVEYOR AND MAPPER

#### **BASIS OF BEARINGS**

BEARINGS SHOWN HEREON ARE BASED ON THE SOUTH LINE OF SECTION 30-03S-24E, HAVING A GRID BEARING OF S 89°29'13" W.

FLORIDA WEST TRANSVERSE MERCATOR STATE PLANE COORDINATE SYSTEM NAD83 DATUM (2011 ADJUSTMENT).

# INFORMATION NOT COMPLETE WITHOUT ALL SHEETS

NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OR THE UNIQUE SIGNATURE AND THE DIGITAL SEAL OF A FLORIDA PROFESSIONAL SURVEYOR & MAPPER



FOR HAMILTON ENGINEERING AND SURVEYING, LLC

3409 W LEMON ST TAMPA, FL 33609 TEL: 813 250 3535

www.HamiltonEngineering US 1717 SOUTH RIO GRANDE AVE, SUITE 104 ORLANDO, FL 32805 TEL 941 377 9178

DATE

FLORIDA PROFESSIONAL SURVEYOR AND MAPPER NO. 6768

NORMANDY - DIAMOND TIMBER TRAILS
RIGHT OF WAY VACATION
JACKSONVILLE, FL 32234

JACKSONVILLE, FL 32234 DUVAL COUNTY


SEC TWP RNG JOB NUMBER DRAWN BY DATE


25/03S/23E 24HAM0386 HBR/KK 08/22/2025

11 ClientMetroINormandy/SURV/S&LsIMisciROW Closures\1 - DWG'sINormandy East 1 & 2 ROW VACANCY 2 dwg (ROW 2 (COVER)) kadenk Sep 02, 2025 - 1 45pm

SHEET

1 OF 3





## SKETCH & DESCRIPTION - NOT A BOUNDARY SURVEY **EXHIBIT "A"**

LEGAL DESCRIPTION

A TRACT OF LAND BEING A 15 FOOT PLATTED RIGHT OF WAY LYING IN BLOCK 2, SECTION 31, AND A 15 FOOT PLATTED RIGHT OF WAY LYING IN THE SOUTHEAST 1/4 OF BLOCK 3. SECTION 30, ALL IN TOWNSHIP 03 SOUTH, RANGE 24 EAST, PLAT OF JACKSONVILLE HEIGHTS AS RECORDED IN PLAT BOOK 5, PAGE 93, OF THE PUBLIC RECORDS OF DUVAL COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHWEST CORNER OF SAID SECTION 30, TOWNSHIP 03 SOUTH, RANGE 24 EAST FOR THE POINT OF BEGINNING; THENCE NORTH 89°29'12" EAST ALONG A LINE 15 FEET PARALLEL TO AND 15 FEET NORTH OF THE NORTH BOUNDARY OF TRACTS 5-7. IN THE SAID BLOCK 2 OF SECTION 31. OF SAID PLAT OF JACKSONVILLE HEIGHTS, A DISTANCE OF 1,321,40 FEET: THENCE NORTH 00°39'34" EAST, A DISTANCE OF 15.00 FEET TO THE SOUTHWEST CORNER OF TRACT 13, IN THE SAID BLOCK 3 OF SECTION 30, OF SAID JACKSONVILLE HEIGHTS; THENCE NORTH 89°29'12" EAST ALONG THE SOUTH BOUNDARIES OF TRACTS 13, 14 & 16 OF SAID BLOCK 3, OF SAID JACKSONVILLE HEIGHTS, A DISTANCE OF 1,306.57 FEET; TO THE SOUTHEAST CORNER OF TRACT 16; THENCE SOUTH 00°56'21" WEST, A DISTANCE OF 30.01 FEET TO THE NORTHEAST CORNER OF TRACT 1, OF SAID BLOCK 2, OF SAID JACKSONVILLE HEIGHTS; THENCE SOUTH 89°29'12" WEST ALONG THE NORTH BOUNDARIES OF TRACTS 1,3-7, OF SAID BLOCK 2, A DISTANCE OF 2,613.00 FEET TO THE NORTHWEST CORNER OF TRACT 7, OF SAID BLOCK 2, OF SAID JACKSONVILLE HEIGHTS; THENCE SOUTH 01°21'15" WEST ALONG THE WEST BOUNDARY OF SAID TRACT 7, A DISTANCE OF 219.35 FEET; THENCE NORTH 52°10'52" WEST, A DISTANCE OF 18.65 FEET, THENCE NORTH 01°21'15" EAST PARALLEL TO AND 15 FEET WEST OF THE WEST BOUNDARY OF SAID TRACT 7, A DISTANCE OF 222.79 FEET TO THE POINT OF BEGINNING.

CONTAINING 62,206 92 SQUARE FEET OR 1,43 ACRES, MORE OR LESS

APPROVED DESCRIPTION AGREES WITH MAP CITY ENGINEERS OFFICE TOPO/SURVEY BRANCH Date 9/20/25 SCC

#### LEGEND:

TAMPA FL 33609

TEL 813 250 3535

= LICENSED BUSINESS

ORB = OFFICIAL RECORD BOOK PG = PAGE

PB = PLAT BOOK = POINT OF BEGINNING POB

= POINT OF COMMENCEMENT = PROFESSIONAL SURVEYOR AND MAPPER

#### **BASIS OF BEARINGS**

BEARINGS SHOWN HEREON ARE BASED ON THE SOUTH LINE OF SECTION 30-03S-24E, HAVING A GRID BEARING OF S 89°29'13" W

FLORIDA WEST TRANSVERSE MERCATOR STATE PLANE COORDINATE SYSTEM NAD83 DATUM (2011 ADJUSTMENT).

AARON J. MURPHY, PSM DATE FLORIDA PROFESSIONAL SURVEYOR AND MAPPER NO. 6768 FOR HAMILTON ENGINEERING AND SURVEYING, LLC CERTIFICATE OF AUTHORIZATION NO LB 8405

#### INFORMATION NOT COMPLETE WITHOUT ALL SHEETS

NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OR THE UNIQUE SIGNATURE AND THE DIGITAL SEAL OF A FLORIDA PROFESSIONAL SURVEYOR & MAPPER



ORLANDO FL 32805


NORMANDY - DIAMOND TIMBER TRAILS **RIGHT OF WAY VACATION** JACKSONVILLE. FL 32234


**DUVAL COUNTY** 


SEC TWP RNG DRAWN BY DATE SHEET JOB NUMBER 30 & 31/03S/24E 24HAM0386 | HBR/KK 08/22/2025 1 OF 4

TEL 407 362 5929 Client\Metro\Normandy\SURV\S&Ls\Misc\ROW Closures\1 - DWG's\Normandy East 1 & 2 ROW VACANCY 3 dwg (ROW 3 (COVER)) kadenk Sep 02 2025 - 3 16pi

TEL 941 377 9178







## SKETCH & DESCRIPTION - NOT A BOUNDARY SURVEY EXHIBIT "A"

LEGAL DESCRIPTION:

A TRACT OF LAND BEING A 15 FOOT PLATTED RIGHT OF WAY, LYING NORTH AND WEST OF TRACT 7 AND WEST OF TRACT 8, BLOCK 4, SECTION 30, TOWNSHIP 03 SOUTH, RANGE 24 EAST, IN THE PLAT OF JACKSONVILLE HEIGHTS AS RECORDED IN PLAT BOOK 5, PAGE 93. OF THE PUBLIC RECORDS OF DUVAL COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHWEST CORNER OF TRACT 7, SAID POINT BEING THE POINT OF BEGINNING: THENCE SOUTH 00°56'21" WEST ALONG THE WEST BOUNDARY LINE OF SAID TRACT 7 AND TRACT 8, A DISTANCE OF 797.99 FEET; THENCE SOUTH 50°15'33" WEST, A DISTANCE OF 19.75 FEET; THENCE NORTH 00°56'21" EAST PARALLEL TO AND 15 FEET WEST OF THE WEST BOUNDARY OF SAID TRACT 7 AND TRACT 8, A DISTANCE OF 825.20 FEET, THENCE NORTH 88°22'22" EAST PARALLEL TO AND 15 FEET NORTH OF THE NORTH BOUNDARY OF SAID TRACT 7, A DISTANCE OF 170.79 FEET; THENCE SOUTH 00°44'10" WEST, A DISTANCE OF 15.00 FEET TO A POINT ON THE NORTH BOUNDARY OF SAID TRACT 7, THENCE SOUTH 88°22'22" WEST ALONG SAID LINE, A DISTANCE OF 155.85 FEET TO THE POINT OF BEGINNING.

CONTAINING 14,605.77 SQUARE FEET OR 0.34 ACRES, MORE OR LESS

APPROVED **DESCRIPTION AGREES** WITH MAP CITY ENGINEERS OFFICE TOPO/SURVEY BRANCH Date 9

#### LEGEND:

= LICENSED BUSINESS I B ORB = OFFICIAL RECORD BOOK

PG = PAGE PB = PLAT BOOK

= POINT OF BEGINNING = POINT OF COMMENCEMENT POB POC

= PROFESSIONAL SURVEYOR AND MAPPER

#### **BASIS OF BEARINGS**

BEARINGS SHOWN HEREON ARE BASED ON EASTERLY BOUNDARY OF THE SUBJECT PROPERTY, HAVING A GRID BEARING OF S 00°44'10" W.

FLORIDA WEST TRANSVERSE MERCATOR STATE PLANE COORDINATE SYSTEM NAD83 DATUM (2011

### INFORMATION NOT COMPLETE WITHOUT ALL SHEETS

NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OR THE UNIQUE SIGNATURE AND THE DIGITAL SEAL OF A FLORIDA PROFESSIONAL SURVEYOR & MAPPER

AARON J. MURPHY. PSM DATE FLORIDA PROFESSIONAL SURVEYOR AND MAPPER NO. 6768 FOR HAMILTON ENGINEERING AND SURVEYING, LLC CERTIFICATE OF AUTHORIZATION NO. LB 8405

# R #8405

3409 W LEMON ST TAMPA, FL 33609 TEL 813 250 3535

www.Hamiltonengineering 03 1717 SOUTH RIO 8340 CONSUMER CIR GRANDE AVE, SUITE 100 SARASOTA, FL 32807 ORLANDO FL 32805 TEL 407 362 5929

TEL 941 377 9178

NORMANDY - DIAMOND TIMBER TRAILS

RIGHT OF WAY VACATION

JACKSONVILLE, FL 32234

**DUVAL COUNTY** 

SEC TWP RNG JOB NUMBER DRAWN BY DATE SHEET 30/03S/24E 24HAM0386 HBR/KK 08/22/2025 1 OF 2

