

Air Quality Trends for Duval County

Melissa Long, P.E.
Chief, Environmental Quality Division

Photo:
Air Monitoring Station
at Pepsi Place




ONE CITY. ONE JACKSONVILLE.

City of Jacksonville, Florida

Lenny Curry, Mayor

Environmental Quality Division
Ed Ball Building
214 N. Hogan Street, 5th Floor
Jacksonville, Florida 32202

Jacksonville Air Monitoring Network



SE (O3, PM2.5)

CS (O3)

SA (PM2.5M)

KP (SO2, NO2, PM2.5M, PM10)

PP (CO, NO2, PM2.5)

MO (O3, PM2.5)

MD (PM2.5M, PM2.5)

Data SIO, NOAA, U.S. Navy, NGA, GEBCO

Google Earth

17.5 km

Google Earth

20 km

Data SIO, NOAA, U.S. Navy, NGA, GEBCO




Criteria Pollutants – all monitored in Duval Co

- Carbon monoxide (CO) – 1 site
- Nitrogen Dioxide (NO₂) – 2 sites
- Sulfur Dioxide (SO₂) – 1 site
- Ozone (O₃) – 3 sites
- Course Particulate Matter (PM₁₀) – 1 site
- Fine Particulate Matter (PM_{2.5}) – 6 sites



Duval Nitrogen Dioxide Trend


NO₂ Annual Mean [ppb]





Duval Sulfur Dioxide Trend


SO₂ 99th Percentile of 1-Hour Daily Max [ppb]





Duval Ozone Trend


O₃ 4th Highest Daily Max [ppm]





Duval Fine Particulate Matter Trend


PM_{2.5} Weighted Annual Mean [$\mu\text{g}/\text{m}^3$]



EPA Proposing Reconsideration of PM_{2.5} NAAQS

- EPA is proposing to **revise the level of the primary (health-based) annual standard** for fine particles (PM_{2.5}) from its current level of 12 µg/m³ to within the range of 9 – 10 µg/m³.
 - EPA is soliciting comment on revising the level as low as 8.0 µg/m³ and up to 11.0 µg/m³.

Duval County PM_{2.5} Design Values µg/m³



American Rescue Plan (ARP) Direct Award

- In August 2022, EPA awarded Duval County \$74,600 as part of a nationwide effort to upgrade PM_{2.5} and other criteria pollutant instruments in environmental justice (EJ) areas. Legislation 2022-868 was passed January 10, 2023 appropriating these funds.
- Pre-approved instrument purchases designed to upgrade our Kooker Park air monitoring site (located in an EJ area), include ultra-fine particulate (PM_{1.0}), and nitrogen dioxide (NO₂).