

LAND USE AND ZONING COMMITTEE AMENDMENT

The Land Use and Zoning Committee offers the following amendment to File No. 2023-856:

- (1) On **page 1, line 16**, after "PUD;" **insert** "PUD SUBJECT TO CONDITION;"
- (2) On **page 2, line 27½**, **insert** a new Section 2 to read as follows:

"Section 2. Rezoning Approved Subject to Condition. This rezoning is approved subject to the following condition. Such condition controls over the Written Description and the Site Plan and may only be amended through a rezoning:

(1) All sag lenses, drop lenses and convex lenses shall be prohibited. Illumination levels at all property lines shall not exceed one-half (.5) foot candles. All lighting lamp sources within the parking and pedestrian areas shall be metal halide, compact fluorescent or LED. An exterior lighting design plan, including a photometrics plan, pole and fixtures schedules shall be submitted at the time of Verification of Substantial Compliance for review and approval by the Planning and Development Department."

- (3) Renumber the remaining Sections accordingly;

(4) On **page 1, line 1**, amend the introductory sentence to add that the bill was amended as reflected herein.

Form Approved:

 /s/ Mary E. Staffopoulos

Office of General Counsel

Legislation Prepared By: Mary E. Staffopoulos

GC-#1632494-v1-2023-856_LUZ_Amd.docx