1

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

2122

23

24

2526

27

2.8

29

30

31

ORDINANCE 2019-375

AN ORDINANCE AMENDING CHAPTER 656 (ZONING CODE), ORDINANCE CODE; AMENDING PART 2 (ZONING ATLAS AND DISTRICT BOUNDARIES), SECTION 656.223 (ZONING AFFECTS HEIGHT OF STRUCTURES, POPULATION DENSITY, LOT COVERAGE, YARDS AND OPEN SPACES), AND AMENDING PART 3 (SCHEDULE OF DISTRICT REGULATIONS), SECTIONS 656.304 (RURAL RESIDENTIAL CATEGORY), 656.305 (LOW DENSITY RESIDENTIAL CATEGORY), 656.306 (MEDIUM DENSITY RESIDENTIAL CATEGORY), 656.307 (HIGH DENSITY RESIDENTIAL CATEGORY), 656.311 (RESIDENTIAL-PROFESSIONAL-INSTITUTIONAL CATEGORY), 656.312 (NEIGHBORHOOD COMMERCIAL CATEGORY), 656.313 (COMMUNITY/GENERAL COMMERCIAL CATEGORY), 656.321 (BUSINESS PARK CATEGORY), 656.322 (LIGHT INDUSTRIAL CATEGORY), 656.323 (HEAVY INDUSTRIAL CATEGORY), 656.324 (WATER DEPENDENT-WATER RELATED CATEGORY), 656.331 (AGRICULTURE), 656.332 (PUBLIC BUILDINGS AND FACILITIES CATEGORY), 656.333 (CONSERVATION CATEGORY (CSV)), 656.334 (RECREATION AND OPEN SPACE CATEGORY), 656.341 (PROCEDURES), 656.344 (PROCEDURES), AND 656.368 (SPRINGFIELD HISTORIC ZONING DISTRICTS) TO PROVIDE FOR IMPERVIOUS SURFACE RATIOS; AMENDING CHAPTER 654 (CODE OF SUBDIVISION REGULATIONS), ORDINANCE CODE; AMENDING SECTION 654.129 (REQUIRED IMPROVEMENTS:

1	STORM DRAINAGE) TO PROVIDE FOR IMPERVIOUS		
2	SURFACE RATIOS; PROVIDING FOR SEVERABILITY;		
3	PROVIDING AN EFFECTIVE DATE.		
4			
5	WHEREAS, the Storm Resiliency & Infrastructure Development		
6	Review Committee has recommended certain changes to the City of		
7	Jacksonville Ordinance Code to address impervious surface ratios,		
8	to protect the health, safety, and welfare of the citizens of the		
9	City of Jacksonville; now, therefore		
10	BE IT ORDAINED by the Council of the City of Jacksonville:		
11	Section 1. Chapter 656 (ZONING CODE), PART 2 (ZONING		
12	ATLAS AND DISTRICT BOUNDARIES) and PART 3 (SCHEDULE OF DISTRICT		
13	REGULATIONS), Ordinance Code, Amended. Chapter 656 (ZONING CODE),		
14	PART 2 (ZONING ATLAS AND DISTRICT BOUNDARIES) and PART 3 (SCHEDULE		
15	OF DISTRICT REGULATIONS), Ordinance Code, is hereby amended to read		
16	as follows:		
17	Chapter 656 - ZONING CODE		
18	* * *		
19	PART 2 ZONING ATLAS AND DISTRICT BOUNDARIES		
20	* * *		
21	SUBPART C APPLICATION OF DISTRICT REGULATIONS		
22	* * *		
23	Sec. 656.223 Zoning affects height of structures, population		
24	density, lot coverage, impervious surface ratios, yards and open		
25	spaces.		
26	No structure shall hereafter be erected or altered:		
27	* * *		
28	(e) To occupy a greater percentage of lot area; or to provide		
29	narrower or smaller yards, courts or other open space.		
30	(f) To provide less impervious surface than as designed as		
31	required by Section 654.129.		

i		
1	(f)(g)To provide lesser separation between buildings or	
2	structures or portions of buildings or structures than	
3	herein provided or in any other manner contrary to the	
4	provisions of the Zoning Code.	
5	* * *	
6	PART 3 SCHEDULE OF DISTRICT REGULATIONS	
7	* * *	
8	SUBPART B RESIDENTIAL USE CATEGORIES AND ZONING DISTRICTS	
9	* * *	
LO	Sec. 656.304 Rural Residential Category.	
L1	* * *	
L2	A. Primary zoning districts. The primary zoning districts	
L3	shall include the following:	
L 4	* * *	
L 5	I. Residential Rural-Acre (RR-Acre) District.	
L 6	* * *	
L7	(e) Maximum lot coverage by all buildings and `	
L 8	structures. 25 percent. <u>Impervious surface ratio</u>	
L 9	as required by Section 654.129.	
20	* * *	
21	II. Residential Low Density-120 (RLD-120) and Residential	
22	Low Density-100A (RLD-100A) Districts. The permitted uses and	
23	structures, accessory uses and structures, permissible uses by	
24	exception, minimum lot and yard requirements, and maximum lot	
25	coverage, impervious surface ratios, and height of buildings and	
26	structures shall be as provided in Section 656.305.	
27	* * *	
28	Sec. 656.305 Low Density Residential Category.	
29	* * *	
30	A. Primary zoning districts. The primary zoning districts	

shall include the following:

I. Residential Rural-Acre (RR-Acre) District. The permitted uses and structures, accessory uses and structures, permissible uses by exception, minimum lot and yard requirements, and maximum lot coverage, impervious surface ratio, and height of buildings and structures shall be as provided in Section 656.304.

II. Residential Low Density (RLD) Districts.

* * *

- (e) Maximum lot coverage by all buildings and structures as listed below.
 Impervious surface ratios as required by Section 654.129.
 - (1) RLD-120-25 percent.
 - (2) RLD-100A, RLD-100B,-40 percent.
 - (3) RLD-90, RLD-80, RLD-70-45 percent.
 - (4) RLD-60, RLD-50, RLD-40-50 percent.
 - (5) RLD-TND-65 percent.

* * *

Sec. 656.306. - Medium Density Residential Category.

* * *

A. Primary zoning districts. The primary zoning districts shall include the following:

* * *

- I. Residential Low Density-60 (RLD-60), Residential Low Density-50 (RLD-50), Residential Low Density-40 (RLD-40), Residential Low Density-TND (RLD-TND) and Residential Low Density-TNH (RLD-TNH) Districts. The permitted uses and structures, accessory uses and structures, permissible uses by exception, minimum lot and yard requirements, and maximum lot coverage, impervious surface ratios, and height of building and structures shall be as provided in Section 656.305.
 - II. Residential Medium Density-A (RMD-A), Residential

i		
1	Medium Density-B (RMD-B), Residential Medium Density-C (RMD-C), and	
2	Residential Medium Density-D (RMD-D).	
3	* * *	
4	(e) Maximum lot coverage by all buildings and structures.	
5	50 percent. <u>Impervious surface ratios</u> as required by Section	
6	<u>654.129.</u>	
7	* * *	
8	Sec. 656.307 High Density Residential Category.	
9	* * *	
10	A. Primary zoning districts. The primary zoning districts	
11	shall include the following:	
12	* * *	
13	I. Residential Medium Density- D (RMD- D) District. The	
14	permitted uses and structures, accessory uses and structures,	
15	permissible uses by exception, minimum lot and yard requirements,	
16	and maximum lot coverage, impervious surface ratio, and height of	
17	buildings and structures shall be as provided in Section 656.306.	
18	II. Residential High Density-A (RHD-A) and Residential	
19	High Density-B (RHD-B) Districts.	
20	* * *	
21	(e) Maximum lot coverage by all buildings and structures	
22	as listed below. Impervious surface ratios as required by Section	
23	<u>654.129.</u>	
24	(1) RHD-A-60 percent.	
25	(2) RHD-B District-80 percent.	
26	* * *	
27	SUBPART C COMMERCIAL USE CATEGORIES AND ZONING DISTRICTS	
28	* * *	
29	Sec. 656.311 Residential-Professional-Institutional Category.	
30	* * *	
31	A. Primary zoning districts. The primary zoning districts	

1	shall include the following:	
2	* * *	
3	I. Residential Medium Density-D (RMD-D). Permitted uses	
4	and structures, accessory uses and structures, permissible uses by	
5	exception, minimum lot and yard requirements, and maximum lot	
6	coverage, impervious surface ratio, and height of buildings and	
7	structures shall be as provided in Section 656.306.	
8	II. Commercial Office (CO) District.	
9	* * *	
10	(e) Maximum lot coverage by all buildings and structures.	
11	50 percent. <u>Impervious surface ratio</u> as required by Section	
12	<u>654.129.</u>	
13	* * *	
14	III. Commercial, Residential and Office (CRO) District.	
15	* * *	
16	(f) Maximum lot coverage by all buildings and structures.	
17	50 percent. <u>Impervious surface ratio</u> as required by Section	
18	<u>654.129.</u>	
19		
20	* * *	
21	IV. Residential Office (RO) District.	
22	* * *	
23	(f) Maximum lot coverage by all buildings and structures. 50	
24	percent. Impervious surface ratio as required by Section 654.129.	
25	* * *	
26	Sec. 656.312 Neighborhood Commercial Category.	
27	* * *	
28	A. Primary zoning districts. The primary zoning districts	
29	shall include the following:	
30	* * *	
31	I. Commercial Office (CO) District. The permitted uses	

and structures, accessory uses and structures, permissible uses by exception, minimum lot and yard requirements, maximum lot coverage, impervious surface ratio, and height of buildings and structures shall be as provided for in Section 656.311 herein.

II. Commercial Neighborhood (CN) District.

* * *

(e) Maximum lot coverage by all buildings and structures. 50 percent. Impervious surface ratio as required by Section 654.129.

* * *

Sec. 656.313. - Community/General Commercial Category.

* * *

A. Primary zoning districts. The primary zoning districts shall include the following:

* * *

- I. Commercial Office (CO) District. The permitted uses and structures, accessory uses and structures, permissible uses by exception, minimum lot and yard requirements, and maximum lot coverage, impervious surface ratio, and height of buildings and structures shall be as provided in Section 656.311.
- II. Commercial Residential Office. The permitted uses and structures, accessory uses and structures, permissible uses by exception, minimum lot and yard requirements, and maximum lot coverage, impervious surface ratio, and height of buildings and structures shall be as provided in Section 656.311
- III. Commercial Neighborhood (CN) District. The permitted uses and structures, accessory uses and structures, permissible uses by exception, minimum lot and yard requirements, and maximum lot coverage, impervious surface ratio, and height of buildings and structures shall be as provided in Section 656.312.
 - IV. Commercial Community/General-1 (CCG-1) District.

* * *

1		
1	(e) Maximum lot coverage by all buildings. None, except	
2	as otherwise required for certain uses. <u>Impervious surface ratio</u>	
3	as required by Section 654.129.	
4		
5	* * *	
6	V. Commercial Community/General-2 (CCG-2) District.	
7	* * *	
8	(e) Maximum lot coverage by all buildings. None, except	
9	as otherwise required for certain uses. <u>Impervious surface ratio</u>	
10	as required by Section 654.129.	
11	* * *	
12	VI. A. Public Buildings and Facilities-2 (PBF-2)	
13	District. The permitted uses and structures, accessory uses and	
14	structures, permissible uses by exception, minimum lot and yard	
15	requirements, and maximum lot coverage, impervious surface ratio,	
16	and height of buildings and structures shall be as provided in	
17	Section 656.332.	
18	* * *	
19	SUBPART D INDUSTRIAL USE CATEGORIES AND ZONING DISTRICTS	
20	* * *	
21	Sec. 656.321 Business Park Category.	
22	* * *	
23	A. Primary zoning districts. The primary zoning districts	
24	shall include the following:	
25	* * *	
26	I. Industrial Business Park (IBP) District.	
27	* * *	
28	(e) Maximum lot coverage by all buildings and structures.	
29	65 percent. <u>Impervious surface ratio</u> as required by Section	
30	<u>654.129.</u>	
31	* * *	

Sec. 656.322. - Light Industrial Category. 1 2 3 A. Primary zoning districts. The primary zoning districts shall include the following: 4 5 I. Industrial Business Park (IBP) District. The permitted 6 7 uses and structures, accessory uses and structures, permissible 8 uses by exception, minimum lot and yard requirements, and maximum 9 lot coverage, impervious surface ratio, and height of buildings and structures shall be as provided in Section 656.321. 10 11 II. Industrial Light (IL) District. 12 13 Maximum lot coverage by all buildings. (e) None. Impervious surface ratio as required by Section 654.129. 14 15 III. Public Building and Facilities-2 (PBF-2) District. 16 The permitted uses and structures, accessory uses and structures, 17 permissible uses by exception, minimum lot and yard requirements, 18 and maximum lot coverage, impervious surface ratio, and height of 19 20 buildings and structures shall be as provided in Section 656.332. 21 Sec. 656.323. - Heavy Industrial Category. 22 23 24 A. Primary zoning districts. The primary zoning districts 25 shall include the following: 26 27 I. Industrial Business Park (IBP) District. The permitted uses and structures, accessory uses and structures, permissible 28 29 uses by exception, minimum lot and yard requirements, and maximum lot coverage, impervious surface ratio, and height of buildings and 30 structures shall be as provided in Section 656.321. 31

1	II. Industrial Light (IL) District. The permitted uses	
2	and structures, accessory uses and structures, permissible uses by	
3	exception, minimum lot and yard requirements, and maximum lot	
4	coverage, impervious surface ratio, and height of buildings and	
5	structures shall be as provided in Section 656.322.	
6	III. Industrial Heavy (IH) District.	
7	* * *	
8	(f) Maximum lot coverage by all buildings. None.	
9	Impervious surface ratio as required by Section 654.129.	
10	* * *	
11	IV. Public Buildings and Facilities (PBF) Districts. The	
12	permitted uses and structures, accessory uses and structures,	
13	permissible uses by exception, minimum lot and yard requirements,	
14	and maximum lot coverage, impervious surface ratio, and height of	
15	buildings and structures shall be as provided in Section 656.332.	
16	* * *	
17	Sec. 656.324 Water Dependent-Water Related Category.	
18	* * *	
19	A. Primary zoning districts. The primary zoning districts	
20	shall include the following:	
21	* * *	
22	I. Industrial Water (IW) District.	
23	* * *	
24	(e) Minimum lot coverage by all building. None.	
25	Impervious surface ratio as required by Section 654.129.	
26	* * *	
27	SUBPART E MISCELLANEOUS CATEGORIES AND ZONING DISTRICTS	
28	* * *	
29		
	Sec. 656.331 Agriculture.	
30	Sec. 656.331 Agriculture. * * *	

1		
1	shall include the following:	
2	* * *	
3	I. Agriculture (AGR) District.	
4	* * *	
5	(e) Maximum lot coverage by all buildings. Ten percent.	
6	Impervious surface ratio as required by Section 654.129.	
7	* * *	
8	II. Public Building and Facilities-2 (PBF-2). The	
9	permitted uses and structures, accessory uses and structures,	
LO	permissible uses by exception, minimum lot and yard requirements,	
L1	and maximum lot coverage, impervious surface ratio, and height of	
L2	buildings and structures shall be as provided in Section 656.332.	
L3	* * *	
L 4	Sec. 656.332 Public Buildings and Facilities Category.	
L 5	* * *	
L 6	A. Primary zoning districts. The primary zoning districts	
L 7	shall include the following:	
L 8	* * *	
L 9	I. Public Building and Facilities-1 (PBF-1) District.	
20	* * *	
21	(e) Maximum height of structures. None.	
22	(f) Impervious surface ratio as required by Section	
23	<u>654.129.</u>	
24	II. Public Buildings and Facilities-2 (PBF-2) District.	
25	* * *	
26	(g) Maximum lot coverage by all buildings. 35 percent.	
27	Impervious surface ratio as required by Section 654.129.	
28	III. Public Buildings and Facilities-3 (PBF-3) District.	
29	* * *	
30	(g) Maximum lot coverage by all buildings. 60 percent.	
31	Impervious surface ratio as required by Section 654.129.	

Ī			
1	* * *		
2	Sec. 656.333 Conservation Category (CSV).		
3	* * *		
4	A. Primary zoning district. The primary zoning districts shall		
5	include the following:		
6	* * *		
7	I. Conservation (CSV) Districts.		
8	* * *		
9	(e) Maximum height of structures. None.		
10	(f) Impervious surface ratio as required by Section		
11	654.129.		
12	* * *		
13	Sec. 656.334 Recreation and Open Space Category.		
14	* * *		
15	A. Primary zoning district. The primary zoning district shall		
16	include the following:		
17	* * *		
18	I. Recreation and Open Space (ROS) District.		
19	* * *		
20	(e) Maximum lot coverage by all buildings. Ten percent.		
21	Impervious surface ratio as required by Section 654.129.		
22	* * *		
23	SUBPART F PLANNED UNIT DEVELOPMENT		
24	* * *		
25	Sec. 656.341 Procedures.		
26	* * *		
27	(c) Required exhibits for an application for rezoning to		
28	planned unit development.		
29	* * *		
30	(2) An application for rezoning to the Planned Unit		
31	Development district shall in addition to the aforementioned, be		

- 12 -

accompanied by the following, in sufficient copies as deemed necessary by the Planning and Development Department for referrals and recommendations:

(i) Site plan(s), map(s), and drawing(s), or other graphic documents of the proposed Planned Unit Development depicted at an appropriate scale as determined by the Department, shall indicate the following, unless, for good cause described in writing and filed in the PUD application file, it is determined by the Department that such exhibits are not necessary for review of the same:

* * *

(B) The location of all land uses by acreage, density including the number of dwelling units, intensity, and/or nonresidential floor area of such uses. A legend including the following applicable information shall be provided as part of the site plan(s) in accordance with the following format:

Total gross acreage	Acres	100%
Amount of each different land use by acreage	Acres	o
Total number and type of dwelling units by each type of same	d.u.	o
Total amount of active recreation and/or open	Acres	

Total amount of passive open space	Acres	
Amount of public and private rights-of-way	Acres	
Maximum coverage of buildings and structures at ground level	Sq.Ft.	
Impervious surface ratios as required by Section 654.129		Q.
* * * (ii) A written description of the intended plan of		

2

3 4

5 6

7 8

9 10

11

12

13

14

15

16

itten description of the intended development shall be submitted to the Department clearly describing all of the following:

(A) Permitted uses and structures, permitted accessory uses and structures, permissible uses by exception, minimum lot requirements (width/area), maximum lot coverage by all buildings and structures, impervious surface ratios as required by Section 654.129, minimum and/or maximum yard requirements, maximum height of structures and any limitations on permitted and/or permissible uses by exceptions.

Sec. 656.344. - Procedures.

(h) Impervious surface ratios. Impervious surface ratios shall be required pursuant to Section 654.129.

1 2 SUBPART I. - SPRINGFIELD ZONING OVERLAY AND HISTORIC DISTRICT 3 REGULATIONS 4 5 Sec. 656.368. - Springfield Historic Zoning Districts. Springfield Historic Zoning Districts include the following: 6 7 I. Residential Medium Density-Springfield (RMD-S)8 District. 9 (h) Maximum lot coverage by all buildings and structures. 10 11 50 percent. Impervious surface ratio as required by Section 12 654.129. 13 14 15 II. Commercial, Residential and Office-Springfield (CRO-S) District. 16 17 (h) Maximum lot coverage by all buildings and structures. 18 50 percent. Impervious surface ratio as required by Section 19 20 654.129. 21 22 III. Commercial Neighborhood Springfield (CN-S) District. 23 24 This zoning district is designed to accommodate existing historic 25 original commercial neighborhood use properties and new 26 neighborhood commercial uses compatible that are with 27 residential character of the neighborhood. Properties with original 2.8 use and historic use neighborhood commercial structures do not have 29 to meet lot, yard, and lot coverage requirements.

30

31

(g) Maximum lot coverage by all buildings and structures.

1				
1	80 percent. <u>Impervious surface</u>	ratio as required by Section		
2	<u>654.129.</u>			
3	* *	* *		
4	IV. Commercial Community/General-Springfield (CCG-S)			
5	District.			
6	* *	* *		
7	(g) Maximum lot coveraç	ge by all buildings. None, except		
8	as otherwise required for certain	uses. <u>Impervious surface ratio</u>		
9	as required by Section 654.129.			
LO	* *	* *		
L1	Section 2. Chapter 654 ((CODE OF SUBDIVISION REGULATIONS),		
L2	Section 654.129 (Required Improve	ments: Storm Drainage), Ordinance		
L3	Code, Amended. Chapter 654 (Co	ODE OF SUBDIVISION REGULATIONS),		
L 4	Section 654.129 (Required Improvements: Storm Drainage), Ordinance			
L5	Code, is hereby amended to read as	follows:		
L 6	Chapter 654 - CODE OF	SUBDIVISION REGULATIONS		
L7	*	* *		
L 8	Sec. 654.129 Required improvements: storm drainage.			
L 9	(a) Subdivision improvement	ts shall include comprehensive		
20	storm drainage facilities in acco	ordance with the Land Development		
21	Procedures Manual.			
22	(b) All subdivisions shall	be designed using the following		
23	<pre>impervious surface ratios:</pre>			
24				
	ZONING DISTRICT	IMPERVIOUS SURFACE RATIO		
	RR-Acre	<u>30%</u>		
	RLD-120	<u>35%</u>		
	RLD-100A	45%		

RLD-100B	<u>45%</u>
RLD-90	<u>50%</u>
RLD-80	<u>50%</u>
RLD-70	<u>55%</u>
RLD-60	<u>65%</u>
RLD-50	<u>65%</u>
RLD-40	<u>70%</u>
RLD-TND	<u>70%</u>
RLD-TNH	<u>75%</u>
RMD-A	70%
RMD-B	70%
RMD-C	<u>70%</u>
RMD-D	<u>75%</u>
RHD-A	<u>85%</u>
RHD-B	<u>85%</u>
<u>co</u>	<u>85%</u>
CRO	<u>85%</u>
CN	<u>85%</u>

<u>CCG-1</u>	<u>85%</u>
CCG-2	<u>85%</u>
CCBD	95% or as otherwise provided in Subpart H
<u>RO</u>	<u>85%</u>
<u>IBP</u>	<u>85%</u>
IL	<u>85%</u>
<u>IH</u>	<u>85%</u>
<u>IW</u>	<u>85%</u>
AGR	<u>15%</u>
PBF-1	<u>See (1)</u>
PBF-2	<u>See (1)</u>
PBF-3	<u>See (1)</u>
CSV	<u>See (1)</u>
ROS	<u>See (1)</u>
PUD	<u>See (1)</u>
PUD-SC	<u>See (1)</u>
RMD-S	<u>75%</u>

<u>CRO-S</u>	<u>85%</u>
<u>CN-S</u>	<u>85%</u>
CCG-S	<u>85%</u>

(1) The impervious surface ratios for zoning districts noted with "See (1)" in the above chart shall be the impervious surface ratios for uses similar to the proposed uses, as determined by the Director of the Planning and Development Department.

Section 3. Severability. The provisions of this Ordinance are intended to be severable and if any provision is declared invalid or unenforceable by a court of competent jurisdiction, such provision shall be severed and the remainder shall continue in full force and effect with the Ordinance being deemed amended to the least degree legally permissible.

Section 4. Effective Date. This Ordinance shall become effective upon signature by the Mayor or upon becoming effective without the Mayor's signature.

15 Form Approved:

1.3

/s/ Shannon K. Eller

Office of General Counsel

Legislation Prepared By: Shannon K. Eller

20 GC-#1283548-v1-Impervious Surface Ratios