REPORT OF THE PLANNING AND DEVELOPMENT DEPARTMENT

The Planning and Development Department hereby forwards to the Planning Commission; Land Use and Zoning Committee, and City Council its comments and recommendations on:

ORDINANCE 2019-375

AN ORDINANCE AMENDING CHAPTER 656 (ZONING CODE), ORDINANCE CODE; AMENDING PART 2 (ZONING ATLAS AND DISTRICT BOUNDARIES), **SECTION** 656.223 (ZONING **AFFECTS** HEIGHT **OF** STRUCTURES. POPULATION DENSITY, LOT COVERAGE, YARDS AND OPEN SPACES), AND AMENDING PART 3 (SCHEDULE OF DISTRICT REGULATIONS), SECTIONS RESIDENTIAL 656.304 (RURAL CATEGORY), 656.305 (LOW RESIDENTIAL CATEGORY), 656.306 (MEDIUM DENSITY RESIDENTIAL CATEGORY), 656.307 (HIGH DENSITY RESIDENTIAL CATEGORY), 656.311 (RESIDENTIAL-PROFESSIONAL-INSTITUTIONAL CATEGORY), 656.312 (NEIGHBORHOOD **COMMERCIAL** CATEGORY), 656.313 (COMMUNITY/GENERAL COMMERCIAL CATEGORY), 656.321 (BUSINESS PARK CATEGORY), 656.322 (LIGHT INDUSTRIAL CATEGORY), 656.323 (HEAVY INDUSTRIAL CATEGORY), 656.324 (WATER DEPENDENT-WATER RELATED CATEGORY), 656.331 (AGRICULTURE), 656.332 (PUBLIC BUILDINGS AND FACILITIES CATEGORY), 656.333 (CONSERVATION CATEGORY (CSV)), 656.334 (RECREATION **OPEN** AND **SPACE** CATEGORY), 656.341 (PROCEDURES), 656.344 (PROCEDURES), **AND** 656.368 (SPRINGFIELD HISTORIC ZONING DISTRICTS) TO PROVIDE FOR IMPERVIOUS SURFACE RATIOS; AMENDING CHAPTER 654 (CODE OF SUBDIVISION REGULATIONS), **ORDINANCE** CODE; **AMENDING SECTION** 654.129 (REQUIRED IMPROVEMENTS: STORM DRAINAGE) TO PROVIDE FOR IMPERVIOUS SURFACE RATIOS; PROVIDING FOR SEVERABILITY; PROVIDING AN EFFECTIVE DATE.

I. GENERAL INFORMATION

The bill amends Ordinance Code Chapter 656 – Zoning Code – to reference various maximum impervious surface ratios in zoning categories as specified in the Code of Subdivision Regulations. The bill also amends Chapter 654 – Code of Subdivision Regulations – to provide the actual impervious surface ratios (ISRs) in the City's building regulations. The ISRs in Chapter 654 apply at the subdivision level and range from 30% ISR in the RR-Acre zoning district to 95% in the CCBD zoning district.

II. EVALUATION

A. The need and justification for the change

This bill derives from the work of the administration's Storm Resiliency and Infrastructure Development Committee, of which the bill sponsors are members. The committee, composed of City Council members and representatives of the Mayor's Office, Planning and Development

Department, Public Works Department, U.S. Army Corps of Engineers, St. Johns River Water Management District, and Florida Department of Environmental Protection, heard a variety of presentations regarding sea level rise, increasing frequency and intensity of rainfall events, state and federal regulations related to stormwater and flooding, and comparisons of Jacksonville's stormwater and floodplain management ordinance and practices with those of other Florida jurisdictions. One finding was that other Florida jurisdictions regulate the amount of impervious (non-water absorbent) surface that can be present on lots as a means of controlling the amount of stormwater runoff that must be collected, treated, transported and disposed of by the public stormwater management system. Jacksonville currently regulates maximum lot coverage by principal structures on individual lots, but does not regulate associated patios, decks, accessory buildings, etc. which increase impervious coverage and thereby produce greater amounts of stormwater runoff. The City also does not currently regulate ISR at the subdivision level, which will take into account the impervious surfaces of roads, parking lots, clubhouses, pool decks, and the like.

B. Consistency with the Comprehensive Plan.

This bill is consistent with numerous goals, policies, and objectives of the Comprehensive Plan, including but not limited to:

Conservation Coastal Management Element (CCME) Policy 2.7.3

The City shall protect appropriate floodplain areas for the public benefit and restore degraded floodplain areas by:

- A. Land acquisition or conservation easement acquisition;
- B. Regulation, including setbacks, buffer zones, designated wildlife corridors, low-density zoning, performance standards and open space requirements; and
- C. Incentives, including tax benefits and transfer of development rights.

CCME Policy 11.3.9

The City has adopted and shall maintain a floodplain management ordinance that establishes engineering requirements to safeguard the public health, safety, and general welfare and minimizes public and private losses due to flooding through regulation and development of flood hazard areas.

CCME Objective 11.3

The City shall implement development and redevelopment principals, strategies and engineering solutions to reduce or eliminate flood risk in coastal areas when opportunities arise.

CCME Policy 11.3.6

The City will continue to participate in the National Flood Insurance Program (NFIP) and will make all reasonable efforts to maintain a Community Rating System score of 6 or higher.

III. RECOMMENDATION

The Planning and Development Department recommends that Ordinance 2019-375 be APPROVED.

2

1

3

4

5

6

7

8

9

10

11

12

13

14 15

16

17 18

19

20

21

22

23

24

25

26

27

28 29

30

31

ORDINANCE 2019-375

AN ORDINANCE AMENDING CHAPTER 656 (ZONING CODE), ORDINANCE CODE: AMENDING PART 2 (ZONING ATLAS AND DISTRICT BOUNDARIES), SECTION 656.223 (ZONING AFFECTS HEIGHT OF STRUCTURES, POPULATION DENSITY, LOT COVERAGE, YARDS AND OPEN SPACES), AND AMENDING PART 3 (SCHEDULE OF DISTRICT REGULATIONS), SECTIONS 656.304 (RURAL RESIDENTIAL CATEGORY), 656.305 (LOW DENSITY RESIDENTIAL CATEGORY), 656.306 (MEDIUM DENSITY RESIDENTIAL CATEGORY), 656.307 (HIGH DENSITY RESIDENTIAL CATEGORY), 656.311 (RESIDENTIAL-PROFESSIONAL-INSTITUTIONAL CATEGORY), 656.312 (NEIGHBORHOOD COMMERCIAL CATEGORY), 656.313 (COMMUNITY/GENERAL COMMERCIAL CATEGORY), 656.321 (BUSINESS PARK CATEGORY), 656.322 (LIGHT INDUSTRIAL CATEGORY), 656.323 (HEAVY INDUSTRIAL CATEGORY), 656.324 (WATER DEPENDENT-WATER RELATED CATEGORY), 656.331 (AGRICULTURE), 656.332 (PUBLIC BUILDINGS AND FACILITIES CATEGORY), 656.333 (CONSERVATION CATEGORY (CSV)), 656.334 (RECREATION AND OPEN SPACE CATEGORY), 656.341 (PROCEDURES), 656.344 (PROCEDURES), AND 656.368 (SPRINGFIELD HISTORIC ZONING DISTRICTS) TO PROVIDE FOR IMPERVIOUS SURFACE RATIOS; AMENDING CHAPTER 654 (CODE OF SUBDIVISION REGULATIONS), ORDINANCE CODE; AMENDING SECTION 654.129 (REQUIRED IMPROVEMENTS:

1	STORM DRAINAGE) TO PROVIDE FOR IMPERVIOUS
2	SURFACE RATIOS; PROVIDING FOR SEVERABILITY;
3	PROVIDING AN EFFECTIVE DATE.
4	
5	WHEREAS, the Storm Resiliency & Infrastructure Development
6	Review Committee has recommended certain changes to the City of
7	Jacksonville Ordinance Code to address impervious surface ratios,
8	to protect the health, safety, and welfare of the citizens of the
9	City of Jacksonville; now, therefore
10	BE IT ORDAINED by the Council of the City of Jacksonville:
11	Section 1. Chapter 656 (ZONING CODE), PART 2 (ZONING
12	ATLAS AND DISTRICT BOUNDARIES) and PART 3 (SCHEDULE OF DISTRICT
13	REGULATIONS), Ordinance Code, Amended. Chapter 656 (ZONING CODE),
14	PART 2 (ZONING ATLAS AND DISTRICT BOUNDARIES) and PART 3 (SCHEDULE
15	OF DISTRICT REGULATIONS), Ordinance Code, is hereby amended to read
16	as follows:
17	Chapter 656 - ZONING CODE
18	* * *
19	PART 2 ZONING ATLAS AND DISTRICT BOUNDARIES
20	* * *
21	SUBPART C APPLICATION OF DISTRICT REGULATIONS
22	* * *
23	Sec. 656.223 Zoning affects height of structures, population
24	density, lot coverage, impervious surface ratios, yards and open
25	spaces.
26	No structure shall hereafter be erected or altered:
27	* * *
28	(e) To occupy a greater percentage of lot area; or to provide
29	narrower or smaller yards, courts or other open space.
30	(f) To provide less impervious surface than as designed as
31	required by Section 654.129.

1	(f)(g)To provide lesser separation between buildings or
2	structures or portions of buildings or structures than
3	herein provided or in any other manner contrary to the
4	provisions of the Zoning Code.
5	* * *
6	PART 3 SCHEDULE OF DISTRICT REGULATIONS
7	* * *
8	SUBPART B RESIDENTIAL USE CATEGORIES AND ZONING DISTRICTS
9	* * *
10	Sec. 656.304 Rural Residential Category.
11	* * *
12	A. Primary zoning districts. The primary zoning districts
13	shall include the following:
14	* * *
15	I. Residential Rural-Acre (RR-Acre) District.
16	* * *
17	(e) Maximum lot coverage by all buildings and `
18	structures. 25 percent. Impervious surface ratio
19	as required by Section 654.129.
20	* * *
21	II. Residential Low Density-120 (RLD-120) and Residential
22	Low Density-100A (RLD-100A) Districts. The permitted uses and
23	structures, accessory uses and structures, permissible uses by
24	exception, minimum lot and yard requirements, and maximum lot
25	coverage, impervious surface ratios, and height of buildings and
26	structures shall be as provided in Section 656.305.
27	* * *
28	Sec. 656.305 Low Density Residential Category.
29	* * *
30	A. Primary zoning districts. The primary zoning districts
31	shall include the following:

* * *

1	
2	
3	pe
4	pe
5	aı
6	bı
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	Se
19	
20	
21	sl
22	
	1

23

24

25

26

27

28

29

30

31

I. Residential Rural-Acre (RR-Acre) District. The permitted uses and structures, accessory uses and structures, permissible uses by exception, minimum lot and yard requirements, and maximum lot coverage, impervious surface ratio, and height of buildings and structures shall be as provided in Section 656.304.

II. Residential Low Density (RLD) Districts.

* * *

- (e) Maximum lot coverage by all buildings and structures as listed below. Impervious surface ratios as required by Section 654.129.
 - (1) RLD-120-25 percent.
 - (2) RLD-100A, RLD-100B, -40 percent.
 - (3) RLD-90, RLD-80, RLD-70-45 percent.
 - (4) RLD-60, RLD-50, RLD-40-50 percent.
 - (5) RLD-TND-65 percent.

* * :

Sec. 656.306. - Medium Density Residential Category.

* * *

A. Primary zoning districts. The primary zoning districts shall include the following:

* * *

- I. Residential Low Density-60 (RLD-60), Residential Low Density-50 (RLD-50), Residential Low Density-40 (RLD-40), Residential Low Density-TND (RLD-TND) and Residential Low Density-TNH (RLD-TNH) Districts. The permitted uses and structures, accessory uses and structures, permissible uses by exception, minimum lot and yard requirements, and maximum lot coverage, impervious surface ratios, and height of building and structures shall be as provided in Section 656.305.
 - II. Residential Medium Density-A (RMD-A), Residential

1	Medium Density-B (RMD-B), Residential Medium Density-C (RMD-C), and
2	Residential Medium Density-D (RMD-D).
3	* * *
4	(e) Maximum lot coverage by all buildings and structures.
5	50 percent. Impervious surface ratios as required by Section
6	<u>654.129.</u>
7	* * *
8	Sec. 656.307 High Density Residential Category.
9	* * *
10	A. Primary zoning districts. The primary zoning districts
11	shall include the following:
12	* * *
13	I. Residential Medium Density- D (RMD- D) District. The
14	permitted uses and structures, accessory uses and structures,
15	permissible uses by exception, minimum lot and yard requirements,
16	and maximum lot coverage, impervious surface ratio, and height of
17	buildings and structures shall be as provided in Section 656.306.
18	II. Residential High Density-A (RHD-A) and Residential
19	High Density-B (RHD-B) Districts.
20	* * *
21	(e) Maximum lot coverage by all buildings and structures
22	as listed below. Impervious surface ratios as required by Section
23	<u>654.129.</u>
24	(1) RHD-A-60 percent.
25	(2) RHD-B District-80 percent.
26	* * *
27	SUBPART C COMMERCIAL USE CATEGORIES AND ZONING DISTRICTS
28	* * *
29	Sec. 656.311 Residential-Professional-Institutional Category.
30	* * *
31	A. Primary zoning districts. The primary zoning districts

- 5 -

1	shall include the following:
2	* * *
3	I. Residential Medium Density-D (RMD-D). Permitted uses
4	and structures, accessory uses and structures, permissible uses by
5	exception, minimum lot and yard requirements, and maximum lot
6	coverage, impervious surface ratio, and height of buildings and
7	structures shall be as provided in Section 656.306.
8	II. Commercial Office (CO) District.
9	* * *
10	(e) Maximum lot coverage by all buildings and structures.
11	50 percent. Impervious surface ratio as required by Section
12	654.129.
13	* * *
14	III. Commercial, Residential and Office (CRO) District.
15	* * *
16	(f) Maximum lot coverage by all buildings and structures.
17	50 percent.
18	<u>654.129.</u>
19	
20	* * *
21	IV. Residential Office (RO) District.
22	* * *
23	(f) Maximum lot coverage by all buildings and structures. 50
24	percent. Impervious surface ratio as required by Section 654.129.
25	* * *
26	Sec. 656.312 Neighborhood Commercial Category.
27	* * *
28	A. Primary zoning districts. The primary zoning districts
29	shall include the following:
30	* * *
31	I. Commercial Office (CO) District. The permitted uses

1 and structures, accessory uses and structures, permissible uses by exception, minimum lot and yard requirements, maximum lot coverage, 2 3 impervious surface ratio, and height of buildings and structures 4 shall be as provided for in Section 656.311 herein. 5 II. Commercial Neighborhood (CN) District. 6 7 (e) Maximum lot coverage by all buildings and structures. 50 8 percent. Impervious surface ratio as required by Section 654.129. 9 10 Sec. 656.313. - Community/General Commercial Category. 11 12 A. Primary zoning districts. The primary zoning districts 13 shall include the following: 14 I. Commercial Office (CO) District. The permitted uses 15 16 and structures, accessory uses and structures, permissible uses by 17 exception, minimum lot and yard requirements, and maximum lot 18 coverage, impervious surface ratio, and height of buildings and 19 structures shall be as provided in Section 656.311. 20 II. Commercial Residential Office. The permitted uses 21 and structures, accessory uses and structures, permissible uses by 22 exception, minimum lot and yard requirements, and maximum lot 23 coverage, impervious surface ratio, and height of buildings and 24 structures shall be as provided in Section 656.311 25 III. Commercial Neighborhood (CN) District. The permitted 26 uses and structures, accessory uses and structures, permissible 27 uses by exception, minimum lot and yard requirements, and maximum 28 lot coverage, impervious surface ratio, and height of buildings and 29 structures shall be as provided in Section 656.312. 30 IV. Commercial Community/General-1 (CCG-1) District.

- 7 -

31

1	(e) Maximum lot coverage by all buildings. None, except
2	as otherwise required for certain uses. Impervious surface ratio
3	as required by Section 654.129.
4	
5	* * *
6	V. Commercial Community/General-2 (CCG-2) District.
7	* * *
8	(e) Maximum lot coverage by all buildings. None, except
9	as otherwise required for certain uses. Impervious surface ratio
10	as required by Section 654.129.
11	* * *
12	VI. A. Public Buildings and Facilities-2 (PBF-2)
13	District. The permitted uses and structures, accessory uses and
14	structures, permissible uses by exception, minimum lot and yard
15	requirements, and maximum lot coverage, impervious surface ratio,
16	and height of buildings and structures shall be as provided in
17	Section 656.332.
18	* * *
19	SUBPART D INDUSTRIAL USE CATEGORIES AND ZONING DISTRICTS
20	* * *
21	Sec. 656.321 Business Park Category.
22	* * *
23	A. Primary zoning districts. The primary zoning districts
24	shall include the following:
25	* * *
26	I. Industrial Business Park (IBP) District.
27	* * *
28	(e) Maximum lot coverage by all buildings and structures.
29	65 percent. <u>Impervious surface ratio</u> as required by Section
30	654.129.
31	* * *

1 Sec. 656.322. - Light Industrial Category. 2 3 Primary zoning districts. The primary zoning districts 4 shall include the following: 5 6 I. Industrial Business Park (IBP) District. The permitted 7 uses and structures, accessory uses and structures, permissible 8 uses by exception, minimum lot and yard requirements, and maximum 9 lot coverage, impervious surface ratio, and height of buildings and 10 structures shall be as provided in Section 656.321. 11 II. Industrial Light (IL) District. 12 13 (e) Maximum lot coverage by all buildings. None. 14 Impervious surface ratio as required by Section 654.129. 15 16 III. Public Building and Facilities-2 (PBF-2) District. 17 The permitted uses and structures, accessory uses and structures, 18 permissible uses by exception, minimum lot and yard requirements, 19 and maximum lot coverage, impervious surface ratio, and height of 20 buildings and structures shall be as provided in Section 656.332. 21 22 Sec. 656.323. - Heavy Industrial Category. 23 A. Primary zoning districts. The primary zoning districts 24 25 shall include the following: 26 I. Industrial Business Park (IBP) District. The permitted 27 28 uses and structures, accessory uses and structures, permissible 29 uses by exception, minimum lot and yard requirements, and maximum 30 lot coverage, impervious surface ratio, and height of buildings and 31 structures shall be as provided in Section 656.321.

1	II. Industrial Light (IL) District. The permitted uses
2	and structures, accessory uses and structures, permissible uses by
3	exception, minimum lot and yard requirements, and maximum lot
4	coverage, impervious surface ratio, and height of buildings and
5	structures shall be as provided in Section 656.322.
6	III. Industrial Heavy (IH) District.
7	* * *
8	(f) Maximum lot coverage by all buildings. None.
9	Impervious surface ratio as required by Section 654.129.
10	* * *
11	IV. Public Buildings and Facilities (PBF) Districts. The
12	permitted uses and structures, accessory uses and structures,
13	permissible uses by exception, minimum lot and yard requirements,
14	and maximum lot coverage, impervious surface ratio, and height of
15	buildings and structures shall be as provided in Section 656.332.
16	* * *
17	Sec. 656.324 Water Dependent-Water Related Category.
18	* * *
19	A. Primary zoning districts. The primary zoning districts
20	shall include the following:
21	* * *
22	I. Industrial Water (IW) District.
23	* * *
24	(e) Minimum lot coverage by all building. None.
25	Impervious surface ratio as required by Section 654.129.
26	* * *
27	SUBPART E MISCELLANEOUS CATEGORIES AND ZONING DISTRICTS
28	* * *
29	Sec. 656.331 Agriculture.
30	
	* * *

1	shall include the following:
2	* * *
3	I. Agriculture (AGR) District.
4	* * *
5	(e) Maximum lot coverage by all buildings. Ten percent.
6	Impervious surface ratio as required by Section 654.129.
7	* * *
8	II. Public Building and Facilities-2 (PBF-2). The
9	permitted uses and structures, accessory uses and structures,
10	permissible uses by exception, minimum lot and yard requirements,
11	and maximum lot coverage, impervious surface ratio, and height of
12	buildings and structures shall be as provided in Section 656.332.
13	* * *
14	Sec. 656.332 Public Buildings and Facilities Category.
15	* * *
16	A. Primary zoning districts. The primary zoning districts
17	shall include the following:
18	* * *
19	I. Public Building and Facilities-1 (PBF-1) District.
20	* * *
21	(e) Maximum height of structures. None.
22	(f) Impervious surface ratio as required by Section
23	<u>654.129.</u>
24	II. Public Buildings and Facilities-2 (PBF-2) District.
25	* * *
26	(g) Maximum lot coverage by all buildings. 35 percent.
27	Impervious surface ratio as required by Section 654.129.
28	III. Public Buildings and Facilities-3 (PBF-3) District.
29	* * *
30	(g) Maximum lot coverage by all buildings. 60 percent.
31	Impervious surface ratio as required by Section 654.129.

1	* * *
2	Sec. 656.333 Conservation Category (CSV).
3	* * *
4	A. Primary zoning district. The primary zoning districts shall
5	include the following:
6	* * *
7	I. Conservation (CSV) Districts.
8	* * *
9	(e) Maximum height of structures. None.
10	(f) Impervious surface ratio as required by Section
11	654.129.
12	* * *
13	Sec. 656.334 Recreation and Open Space Category.
14	* * *
15	A. Primary zoning district. The primary zoning district shall
16	include the following:
17	* * *
18	I. Recreation and Open Space (ROS) District.
19	* * *
20	(e) Maximum lot coverage by all buildings. Ten percent.
21	Impervious surface ratio as required by Section 654.129.
22	* * *
23	SUBPART F PLANNED UNIT DEVELOPMENT
24	* * *
25	Sec. 656.341 Procedures.
26	* * *
27	(c) Required exhibits for an application for rezoning to
28	planned unit development.
29	* * *
30	(2) An application for rezoning to the Planned Unit

Development district shall in addition to the aforementioned, be

31

 accompanied by the following, in sufficient copies as deemed necessary by the Planning and Development Department for referrals and recommendations:

(i) Site plan(s), map(s), and drawing(s), or other graphic documents of the proposed Planned Unit Development depicted at an appropriate scale as determined by the Department, shall indicate the following, unless, for good cause described in writing and filed in the PUD application file, it is determined by the Department that such exhibits are not necessary for review of the same:

* * *

(B) The location of all land uses by acreage, density including the number of dwelling units, intensity, and/or nonresidential floor area of such uses. A legend including the following applicable information shall be provided as part of the site plan(s) in accordance with the following format:

Total gross acreage	Acres	100%
Amount of each different land use by acreage	Acres	0,0
Total number and type of dwelling units by each type of same	d.u.	oo
Total amount of active recreation and/or open	Acres	0/0

Total amount of passive open space	Acres	0/0
Amount of public and private rights-of-way	Acres	0/0
Maximum coverage of buildings and structures at ground level	Sq.Ft.	0/0
Impervious surface ratios as required by Section 654.129		0/0
* * *		

1 2

3 4

5 6

7

8 9

10

11

12

13 14

15

16

(ii) A written description of the intended plan of development shall be submitted to the Department clearly describing all of the following:

(A) Permitted uses and structures, permitted accessory uses and structures, permissible uses by exception, minimum lot requirements (width/area), maximum lot coverage by all buildings and structures, impervious surface ratios as required by Section 654.129, minimum and/or maximum yard requirements, maximum height of structures and any limitations on permitted and/or permissible uses by exceptions.

Sec. 656.344. - Procedures.

Impervious surface ratios. Impervious surface ratios shall be required pursuant to Section 654.129.

SUBPART I. - SPRINGFIELD ZONING OVERLAY AND HISTORIC DISTRICT REGULATIONS

Sec. 656.368. - Springfield Historic Zoning Districts.

Springfield Historic Zoning Districts include the following:

I. Residential Medium Density-Springfield District.

(h) Maximum lot coverage by all buildings and structures. 50 percent. Impervious surface ratio as required by Section 654.129.

II. Commercial, Residential and Office-Springfield (CRO-S) District.

(h) Maximum lot coverage by all buildings and structures. 50 percent. Impervious surface ratio as required by 654.129.

III. Commercial Neighborhood Springfield (CN-S) District. This zoning district is designed to accommodate existing historic properties neighborhood original use commercial and new neighborhood commercial that are compatible with the uses residential character of the neighborhood. Properties with original use and historic use neighborhood commercial structures do not have to meet lot, yard, and lot coverage requirements.

(g) Maximum lot coverage by all buildings and structures.

- 15 -

27

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

28

29

30 31

1	80 percent. Impervious surface ratio as required by Section
2	654.129.
3	* * *
4	IV. Commercial Community/General-Springfield (CCG-S)
5	District.
6	* * *
7	(g) Maximum lot coverage by all buildings. None, except
8	as otherwise required for certain uses. <u>Impervious surface ratio</u>
9	as required by Section 654.129.
10	* * *
11	Section 2. Chapter 654 (CODE OF SUBDIVISION REGULATIONS),
12	Section 654.129 (Required Improvements: Storm Drainage), Ordinance
13	Code, Amended. Chapter 654 (CODE OF SUBDIVISION REGULATIONS),
14	Section 654.129 (Required Improvements: Storm Drainage), Ordinance
15	Code, is hereby amended to read as follows:
16	Chapter 654 - CODE OF SUBDIVISION REGULATIONS
17	* * *
18	Sec. 654.129 Required improvements: storm drainage.
19	(a) Subdivision improvements shall include comprehensive
20	storm drainage facilities in accordance with the Land Development
21	Procedures Manual.
22	(b) All subdivisions shall be designed using the following
23	<pre>impervious surface ratios:</pre>
24	
	ZONING DISTRICT IMPERVIOUS SURFACE RATIO
	RR-Acre 30%
	RLD-120 35%

<u>45%</u>

<u>RLD-100A</u>

RLD-100B	45%
RLD-90	<u>50%</u>
RLD-80	<u>50%</u>
RLD-70	55%
RLD-60	<u>65%</u>
RLD-50	<u>65%</u>
RLD-40	70%
RLD-TND	<u>70%</u> .
RLD-TNH	75%
RMD-A	70%
RMD-B	70%
RMD-C	70%
RMD-D	75%
RHD-A	<u>85%</u>
RHD-B	<u>85%</u>
<u>co</u>	85%
CRO	<u>85%</u>
CN	85%

<u>CCG-1</u>	<u>85%</u>
CCG-2	<u>85%</u>
CCBD	95% or as otherwise provided in Subpart H
RO	<u>85%</u>
IBP	<u>85%</u>
<u>IL</u>	<u>85%</u>
<u>IH</u>	<u>85%</u>
IW	<u>85%</u>
AGR	<u>15%</u>
PBF-1	See (1)
PBF-2	See (1)
PBF-3	See (1)
csv	See (1)
ROS	<u>See (1)</u>
PUD	<u>See (1)</u>
PUD-SC	<u>See (1)</u>
RMD-S	<u>75%</u>

CRO-S	<u>85%</u>
<u>CN-S</u>	<u>85%</u>
CCG-S	<u>85%</u>

(1) The impervious surface ratios for zoning districts noted with "See (1)" in the above chart shall be the impervious surface ratios for uses similar to the proposed uses, as determined by the Director of the Planning and Development Department.

Section 3. Severability. The provisions of this Ordinance are intended to be severable and if any provision is declared invalid or unenforceable by a court of competent jurisdiction, such provision shall be severed and the remainder shall continue in full force and effect with the Ordinance being deemed amended to the least degree legally permissible.

Section 4. Effective Date. This Ordinance shall become effective upon signature by the Mayor or upon becoming effective without the Mayor's signature.

Form Approved:

/s/ Shannon K. Eller

18 Office of General Counsel

Legislation Prepared By: Shannon K. Eller

20 GC-#1283548-v1-Impervious_Surface_Ratios