CGC

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777

Fax: (352) - 473 - 8526

1656 NE 161st Street Starke, Florida 32091

November 6, 2019 Job No. H-18-012

TRACT B: (Commercial Tract)

A Tract of land situated in Portions of Sections 27, and 34, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being more particularly described as follows:

Commence at an Iron Pipe at the 1/4 Section Corner on the North line of Section 34 (said corner being in the centerline of County Road No. 217) and run S 00 deg 07 min 55 sec E, along said centerline, 361.95 feet to a point; thence run S 89 deg 52 min 05 sec W, 40.0 feet to an Iron Rod at the Northeast corner of lands described in Official Records Book 17124 on Page 1409 of said public records and on the Westerly right of way line of said County Road No. 217 and the Point of Beginning; thence continue S 89 deg 52 min 05 sec W, along the south line of said lands, 619.77 feet to an Iron Rod at the southwest corner of said lands and the west line of Farm Lot 5 of said Section 34; thence run N 00 deg 07 min 52 sec W, along said west line and a northerly prolongation thereof 379.29 feet to an Iron Rod on the South line of Section 27; thence run N 00 deg 39 min 23 sec E, along a Southerly prolongation of the West line of Farm Lot 28 of said Section 27 and the West line of said Farm Lot 28. a distance of 843.99 feet to a concrete monument on the Southerly right of way line of Normandy Boulevard (State Road No. 228); thence run N 80 deg 23 min 47 sec E, along said right of way line, 557.47 feet to an Iron Pipe on the East right of way line of said County Road No. 217; thence run Southeasterly along said right of way line with a curve concave southwesterly, said curve having a radius of 50.0 feet, an arc length of 86.80 feet and a chord bearing and distance of S 49 deg 52 min 08 sec E, 76.30 feet to an Iron Pipe; thence run S 00 deg 08 min 03 sec E, along said right of way line, 803.14 feet to an Iron Pipe; thence run Southwesterly along said right of way line with a curve concave Northwesterly, said curve having a radius of 50.0 feet, an arc length of 79.92 feet and a chord bearing and distance of S 45 deg 37 min 11 sec W, 71.73 feet to an Iron Pipe; thence run S 04 deg 02 min 58 sec W, along said right of way line, 100.11 feet to an Iron Pipe; thence run Southeasterly along said right of way line with a curve concave Southwesterly, said curve having a radius of 50.0 feet, an arc length of 77.23 feet and a chord bearing and distance of S 44 deg 22 min 5 sec E, 69.77 feet to an Iron Pipe; thence run S 00 deg 07 min 55 sec E, along said right of way line, 264.28 feet to the Point of Beginning. Said Tract containing 18.06 acres more or less.

RE# 001258-0100 001138-8000

Actual acreage: 17.7

To: CGC

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777

Fax: (352) - 473 - 8526

1656 NE 161st Street Starke, Florida 32091

November 6, 2019 Job No: H-18-012

TRACT 2A: (Commercial Tract – PN 001127-0000; 001128-0000; 001129-0000)

A Parcel of Land situated in a portion of Farm Lot 24 in Section 25, Township 3 South, Range 23 East of "Maxville Farms" as per plat there of recorded in Plat Book 3 on Page 94 of the public records of Duval County, Florida; Said parcel being the same lands collectively described as those recorded in Official Records Book 12601 on Page 1342; Official Records Book 12785 on Page 1082 and Official Records 16110 on Page 2325 of said public records and more particularly described as follows:

Begin at a concrete monument at the Intersection of the Southerly Right of Way Line of Normandy Boulevard (also known as State Road No. 228) with the Easterly Line of McClelland Road (a county right of way) and run S 00 deg 11 min 35 sec E, along said East Right of Way line, 420.19 feet to the southwest corner of lands described in said Official Records Book 12785, Page 1082; thence run N 84 deg 39 min 50 sec E, along the southerly line of said lands, a distance of 206.38 feet to an Iron Pipe at the southeast corner thereof; thence run N 00 deg 14 min 46 sec W, along the east line of all the aforementioned lands, a distance of 435.70 feet to an Iron Pipe on said Southerly Right of Way Line; thence run S 80 deg 23 min 46 sec W, along said right of way line, 207.95 feet to the Point of Beginning. (Containing 2.02 Acres more or less)

RE# 001127-0000 001128-0000 001129-0000

Actual acreage: 2.01

To: CGC

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 Fax: (352) - 473 - 8526

1656 NE 161st Street Starke, Florida 32091

November 6, 2019 Job No. H-18-012

TRACT A-C: (Commercial Tract)

A Tract of land being that Portion Farm Lot 24 of Section 26, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Lying South of Normandy Boulevard (State Road 228) and being more particularly described as follows:

Commence at an Iron Pipe at the 1/4 Section Corner on the North line of Section 34, Township 3 South, Range 23 East; (said corner being in the centerline of County Road No. 217) and run S 88 deg 37 min 06 sec E, along the North line of said Section 34, a distance of 2639.60 feet to an Iron Pipe at the Southwest Corner of said Section 26; thence run N 00 deg 07 min 02 sec W, along the west line of said Section 26, a distance of 1320.0 feet to a concrete monument on a westerly prolongation of the south line of said Farm Lot 24 and the Point of Beginning; thence continue run N 00 deg 07 min 02 sec W, along said west line, 159.40 feet to the Southerly right of way line of Normandy Boulevard (State Road 228); thence run N 80 deg 23 min 47 sec E, along said right of way line, 670.41 feet to the an intersection with the east line of said Farm Lot 24; thence run S 00 deg 05 min 43 sec E, along said east line, 273.80 feet to the southeast corner of said Farm Lot 24; thence run N 88 deg 40 min 16 sec W, along the south line of said Farm Lot 24 and along said westerly prolongation, a distance of 656.34 feet to the Point of Beginning. Said Tract containing 3.29 acres more or less.

RE# 001132-0300

Actual acreage: 3.19

To: CGC

RR

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 Fax: (352) - 473 - 8526

1656 NE 161st Street Starke, Florida 32091

March 10, 2020 - Job No. H-18-012

DESCRIPTION: TRACT A-2 WEST

(Part of Parcel Number: 001256-0005)

A Tract of land situated in a Portion of Section 34, Township 3 South, Range 23 East and in a Portion of Farm Lot 4 of said Section 34 as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being more particularly described as follows:

Commence at an Iron Pipe at the 1/4 Section Corner on the North line of Section 34 (said corner being in the centerline of County Road No. 217) and run S 00 deg 07 min 55 sec E, along said centerline, 1342.05 feet to a point on a westerly prolongation of the South of Farm Lot 4 of said Section 34; thence run S 88 deg 45 min 33 sec E, along said prolongation and the South line of said Farm Lot 4, a distance of 40.01 feet to a concrete monument on the Easterly right of way line of said County Road No. 217; thence run N 00 deg 07 min 55 sec W, along said right of way line, 656.20 feet to an Iron Pipe at the northwest corner of lands described in Official Records Book 17537 on Page 225 of the public records of said county and the Point of Beginning; thence continue N 00 deg 07 min 55 sec W, along said right of way, 584.39 feet to an Iron Pipe and a point of curve; thence run northeasterly along said right of way line with a curve concave southeasterly, said curve having a radius of 50.0 feet, an arc length of 79.86 feet and a chord bearing and distance of N 45 deg 37 min 29 sec E, 71.64 feet to an Iron Rod; thence run N 01 deg 22 min 54 sec E, along said right of way line, 50.0 feet to an Iron Rod on the North line of said Section 34; thence run S 88 deg 37 min 06 sec E, along said North line, 569.87 feet to an intersection with a northerly prolongation of the east line of said Farm Lot 4; thence leave said north line and run S 00 deg 08 min 08 sec E, along said prolongation and said east line, 669.37 feet to an intersection with the north line of said lands described in Official Records Book 17537, Page 225; thence run S 89 deg 52 min 05 sec W, along the north line of said aforesaid lands, 619.71 feet to the Point of Beginning.

Said Tract containing 9.57 Acres more or less

RE# 001256-0005

Actual acreage: 9.73

To: RR

DESCRIPTION: TRACT A -2 EAST

A Tract of land situated in a Portion of Sections 26 and 35, Township 3 South, Range 23 East and in Portions of Farm Lots 4, 5, 6 and 7 of said Section 35 as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being more particularly described as follows:

Commence at an Iron Pipe at the Northwest corner of said Section 35 and run N 89 deg 54 min 37 sec E, along the North Line of said Section 35 and the South line of said Section 26, a distance of 660.63 feet to a concrete monument on a Southerly prolongation of the East line of Farm Lot 25 of said Section 26; thence run N 00 deg 05 min 44 sec W, along said prolongation, 15.0 feet to an Iron Rod at the southeast corner of Farm Lot 25; thence run N 89 deg 54 min 37 sec E, along the south line of Farm Lot 26 of said Section 26, a distance of 663.46 feet to the Point of Beginning; thence continue N 89 deg 54 min 37 sec E; along said south line and along the south line of Farm Lots 27, 28 and 29 of said Section 26, a distance of 1467.91 feet to an Iron Rod on the Westerly line of a 330' Florida Power and Light Company Right of Way for Power Transmission as described in Official Records Book 4114, Page 294 and Official Records Book 5620, page 582 of the public records of said County; thence run S 16 deg 07 min 01 sec W, along said westerly right of way line, 588.29 feet; thence leave said 330' Right of Way

and run N 87 deg 50 min 05 sec W, 1233.31 feet; thence run N 07 deg 57 min 28 sec W, 521.29 feet to the Point of Beginning. Said Tract containing 16.78 Acres more or less.

RE# 001271-0000

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777

Fax: (352) - 473 - 8526

1656 NE 161st Street Starke, Florida 32091

November 6, 2019 Job No. H-18-012

TRACT E:

A Tract of land situated in a Portion of Section 33, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being more particularly described as follows:

Begin at an Iron Pipe at the 1/4 Section Corner on the East line of Section 33 (said corner being the Northeast corner of the SE 1/4 of said Section 33) and run S 00 deg 07 min 39 sec E, along said East line, 1348.71 feet to an Iron Rod on a Easterly prolongation of the South line of Farm Lot 17 of said Section 33; thence run S 89 deg 30 min 30 sec W, along prolongation and along the South line of Farm Lots 17 and 18, a distance of 1323.55 feet to an Iron Rod at the Southwest corner of said Farm Lot 18 and the Northeast corner of Farm Lot 30 of said Section 33; thence run S 00 deg 07 min 40 sec E, along the East line of Farm Lot 30, a distance of 1324.44 feet to a concrete monument on the Northerly Maintained right of way line of Maxville – Middleburg Road, a county road; thence run N 88 deg 37 min 06 sec W, along said right of way line, 635.93 feet to a concrete monument; thence run N 01 deg 54 min 15 sec E, 1327.26 feet to an Iron Pipe; thence run N 89 deg 59 min 08 sec W, 656.15 feet to an Iron Pipe on the easterly right of way line of said Maxville – Middleburg Road; thence run N 00 deg 02 min 22 sec E, along said right of way line, 1337.23 feet to a concrete monument on the North line of said SE 1/4; thence run S 89 deg 32 min 05 sec E, along said North line, 2560.95 feet to the Point of Beginning. Said Tract containing 97.503 acres more or less.

RE# 001247-1000

Actual acreage: 94.3

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777

Fax: (352) - 473 - 8526

1656 NE 161st Street Starke, Florida 32091

November 6, 2019 Job No: H-18-012

TRACT G-1: (PN 001010-0000; 001126-8200)

A Tract of land situated in Portions of Sections 25 and 36, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms", as recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being more particularly described as follows:

Commence at a concrete monument at the Southeast corner of Section 25 and run S 01 deg 12 min 26 sec W, 223.22 feet to a concrete monument on the Northeasterly line of a 305 foot Florida Power and Light Company Right of Way for Power Transmission as described in Official Records Book 5780 on Page 215 of said public records; thence continue S 01 deg 12 min 26 sec W, 380.31 feet to a concrete monument on the Southwesterly line of said right of way and the Point of Beginning; thence continue S 01 deg 12 min 26 sec W, 3389.72 feet to an Iron Pipe; thence run S 00 deg 57 min 54 sec W, 997.52 feet to an Iron Pipe on the Northerly line of Forest Trail Road No. 29, a county right of way as described in Official Records Book 5432, Page 235 and Official Records Book 3092, Page 664 of said public records; thence run along said Northerly line with the following courses and distances: N 40 deg 44 min 18 sec W, 2842.76 feet to a concrete monument; N 62 deg 16 min 30 sec W, 2060.46 feet to a concrete monument; thence leave said right of way and run with the following courses and distances: N 27 deg 43 min 30 sec E, 653.08 feet; N 73 deg 26 min 11 sec E, 419.87 feet; N 10 deg 00 min 41 sec E, 600.80 feet to the Most southerly corner of lands described in Official Records Book 17901, page 365 of said public records; thence run northeasterly along the easterly line of said lands with the following courses and distances: N 29 deg 54 min 20 sec E, 544.49 feet, N 73 deg 47 min 36 sec E, 1128.15 feet; N 37 deg 51 min 52 sec E, 351.29 feet to the Most Easterly corner of said Official Records Book 17901, Page 365 and the southerly line of said power transmission right of way; thence run S 52 deg 08 min 08 sec E, along said southerly right of way line, 1766.57 feet to the Point of Beginning.

Said Tract containing 245.35 acres more or less.

RE# 001126-8200 001010-0000

001010-0000

Actual Acreage: 208.06

To: RR

ALSO:

TRACT G-1-N: (PN 001126-5000)

A Tract of land situated in Portions of Sections 25 and 36, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms", as recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being more particularly described as follows:

Begin at a concrete monument at the Southeast corner of Section 25 and run S 01 deg 12 min 26 sec W, 223.22 feet to a concrete monument on the Northeasterly line of a 305 foot Florida Power and Light Company Right of Way for Power Transmission as described in Official Records Book 5780 on Page 215 of said public records; thence run N 52 deg 08 min 08 sec W, along said right of way line, 905.95 feet to the southeasterly corner of "Tract I" as shown on "Winchester Ridge Phase 1-A", as per plat thereof recorded in Plat Book 63 on Pages 39 to 148, inclusive of said public records; thence run along the easterly line of said Tract I, in a general northerly direction with the following courses and distances: N 37 deg 51 min 52 sec E, 110.0 feet; N 22 deg 53 min 27 sec W, 367.42 feet; N 12 deg 31 min 44 sec E, 415.64 feet; N 48 deg 09 min 08 sec E, 962.47 feet; thence run S 00 deg 22 min 28 sec W, 1806.12 feet to the Point of Beginning. Said Tract containing 23.95 Acres more or less

RE# 001126-5000

Actual acreage: 23.68

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777

Fax: (352) - 473 - 8526

1656 NE 161st Street Starke, Florida 32091

November 6, 2019 Job No: H-18-012

TRACT I:

A Tract of land situated in Portions of Sections 26 and 35, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms" as recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being more particularly described as follows:

Commence at the Northeast corner of Section 35 and run S 89 deg 54 min 37 sec W, along the North line of said Section 35, a distance of 30.0 feet to a concrete monument on the West right of way line of McClellan Road, a county right of way and the Point of Beginning; thence continue S 89 deg 54 min 37 sec W, along said North line, 1296.43 feet to a concrete monument; thence run S 00 deg 07 min 57 sec E, 1443.08 feet to an Iron Rod; thence run N 89 deg 45 min 59 sec E, 1298.95 feet to a concrete monument on said West right of way; thence run S 00 deg 13 min 57 sec E, along said right of way 545.05 feet to an Iron Rod at the northeast corner of lands described in Official Records Book 17019 on page 1283 of said public records; thence run S 89 deg 45 min 36 sec W, along the north line of said lands, 686.0 feet to an Iron Rod; thence run S 00 deg 14 min 24 sec E, along the west line of said lands 592.74 feet to an Iron Rod on the northerly maintained right of way of "Girl Road", a 40 foot access road; thence run northeasterly along said northerly line with the following courses and distances: N 87 deg 19 min 05 sec E, 45.93 feet; N 81 deg 21 min 27 sec E, 195.43 feet; N 73 deg 52 min 20 sec E, 464.53 feet to an Iron Rod on the aforesaid West right of way; thence run S 00 deg 13 min 57 sec E, along said right of way, 162.05 feet to a point of tangency; thence run southwesterly with a curve concave westerly having an arc length of 26.97 feet, a radius of 924.79 feet and a chord bearing and distance of S 00 deg 36 min 11 sec W, 26.97 feet to an intersection with the northerly line of Farm Lot 17 of Section 35 as shown on said Plat; thence run S 89 deg 57 min 01 sec W, along said north line, 571.70 feet to an Iron Rod at an intersection with southerly maintained right of way of said "Girl Road"; thence run S 81 deg 21 min 27 sec W, along said right of way, 57.60 feet to an Iron Rod on the west line of said Farm Lot 17; thence run S 00 deg 15 min 54 sec E, along said West line, 1223.73 feet to a concrete monument on the Northerly line of McClellan Road, a county right of way; thence run S 32 deg 15 min 16 sec W, along said Northerly line, 1038.15 feet to an Iron Rod at the point of tangency in said right of way; thence run Southwesterly along said right of way line with a curve concave southeasterly, said curve having a radius of 985.59 feet, an arc length of 553.71 feet and a chord bearing and distance of S 16 deg 09 min 36 sec W, 546.46 feet to an Iron Rod at the point of curve in said right of way; thence run S 00 deg 03 min 56 sec W, along said right of way, 37.56 feet to a concrete monument on the South line of said Section 35; thence run S 89 deg 51 min 58 sec W, along said South line, 1288.62 feet to a concrete monument at the South 1/4 Section Corner of said Section 35; thence run N 89 deg 29 min 01 sec W, along said South line, 329.29 feet to a concrete monument on a Southerly prolongation of the West line of the East 1/2 of Farm Lot 28 as shown on said Plat; thence run N 00 deg 04 min 04 sec W, along said prolongation and along said West line, 1344.93 feet to an Iron Rod on the North line of said Farm Lot 28; thence run S 89 deg 43 min 01 sec E, along said North line, 329.54 feet to an Iron Rod at the Southwest corner of Farm Lot 20 as shown on said Plat; thence run N 00 deg 03 min 24 sec W, along the East line of said Farm Lot 20 and a Northerly prolongation of said East line, 1346.28 feet to an Iron Rod on the North line of the South 1/2 of said Section 35; thence run N 89 deg 57 min 00 sec W, along said North line, 317.72 feet to an

Iron Rod on the Easterly line of 330 foot Florida Power and Light Company Right of Way for Power Transmission as Described in Official Records Book 4114, Page 294 and Official Records Book 5620, Page 582 of said public records; thence run N 16 deg 07 min 01 sec E, along said Easterly line, 82.65 feet to an Iron Rod on the Southerly line of Peoples Gas System Right of Way as described in Official Records Book 9599 on Page 1735 of said public records; thence run along said right of way with the following courses and distances: S 73 deg 52 min 59 sec E, 50.0 feet to an Iron Pipe; N 16 deg 07 min 01 sec E, 4439.78 feet to the southwesterly corner of lands described in Official Records Book 17849 on Page 1510 of said public records; thence leave said right of way and run along the easterly line of said lands with the following courses and distances: S 73 deg 52 min 59 sec E, 100.0 feet; N 16 deg 07 min 01 sec E, 315.0 feet; N 80 deg 23 min 47 sec E, 104.50 feet; N 16 deg 07 min 01 sec E, 210.0 feet to a concrete monument on the Southerly right of way line of State Road No. 228 (Normandy Boulevard); thence run N 80 deg 23 min 47 sec E, along said right of way line, 1289.13 feet to a concrete monument on the Westerly line of McClellan Road, a county right of way; thence run S 00 deg 11 min 35 sec E, along said westerly line, 2359.51 feet to the Point of Beginning. Said Tract containing 310.85 acres more or less.

RE# 001131-3105 001270-5010 001271-3000

Actual acreage: 311.30

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

March 10, 2020 Job No. H-13-184-McC-SUB S-N

DESCRIPTION: (PARCEL N - 2-4)

A parcel of land situated in Farm Lot 31 and 32 of Section 35, Township 3 South, Range 23 East of "Maxville Farms", as recorded in Plat Book 3 on page 94 of the public records of Duval County, Florida and a portion of an unnamed, unopened and unused strip of land lying east of and adjacent to said Farm Lot 32 as shown on said plat; Said lands being more particularly described as follows:

Commence at a concrete monument at the Southeast corner of Section 35 and run N 00 deg 20 min 06 sec W, along the east line of said Section 35 and the east line of said Farm Lot 32, a distance of 396.0 feet to an Iron Pipe at the Northeast corner of lands described in Official Records Book 3205 on Page 853 of the public records of said county; thence continue N 00 deg 20 min 06 sec W, along said east line, 246.59 feet to an Iron Rod and the Point of Beginning; thence continue N 00 deg 20 min 06 sec W, 457.45 feet; thence run N 80 deg 11 min 34 sec W, 740.43 feet to the easterly right of way line of McClelland Road, a 60 foot county right of way; thence run S 32 deg 15 min 16 sec W, along said right of way line, 487.21 feet to an Iron Rod; thence leave said right of way line and run S 80 deg 11 min 34 sec E, 1007.02 feet to the Point of Beginning. Containing 9.03 Acres more or less.

RE# 001271-3400

Actual acreage: 7.79

Professional Surveyor and Mapper

Fla. Cert. No. 5500

Member Florida Land Surveyors Council
(352) 473 8523

(352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

September 27, 2018 Job No. H-13-184-McC-SUB S-S

DESCRIPTION: (PARCEL S - 6 & 9)

A parcel of land situated in Farm Lot 31 and 32 of Section 35, Township 3 South, Range 23 East of "Maxville Farms", as recorded in Plat Book 3 on page 94 of the public records of Duval County, Florida and more particularly described as follows:

Commence at a concrete monument at the Southeast corner of Section 35 and run S 89 deg 51 min 58 sec W, along the South line of said Section 35, a distance of 330.0 feet to the southwest corner of lands described in Official Records Book 3728, Page 18 of the public records of said county; thence leave said south line and run N 00 deg 20 min 06 sec W, 30.0 feet to an Iron Rod on the North line of Melvin Padgett Road and the Point of Beginning; thence continue N 00 deg 20 min 06 sec W, along the west line of aforesaid lands, 366.0 feet; thence run N 89 deg 52 min 35 sec E, along the North line of aforesaid lands, 330.0 feet to the east line of said Section 35; thence run N 00 deg 20 min 06 sec W, along said east line, 94.10 feet to an Iron Rod at the southeast corner of lands described in Official Records Book 18181 on page 853 of said public records; thence run N 80 deg 11 min 34 sec W, along the south line of aforesaid lands, 1095.88 feet to a Iron Rod on the easterly right of way line of McClelland Road, a 60 foot county right of way; thence run S 32 deg 15 min 17 sec W, along said right of way line, 161.51 feet to an Iron Rod at the northwest corner of lands described in Official Records Book 18472 on Page 965 of said public records; thence leave said right of way line and run S 80 deg 10 min 15 sec E, along the north line of aforesaid lands and the north line of lands described in Official Records Book 18035 on Page 89, a distance of 489.85 feet to an Iron Pipe at the northeast corner of said Official Records Book 18035, Page 89; thence run S 00 deg 20 min 06 sec E, along the east line of aforesaid lands, 428.15 feet to an Iron Rod at the southeast corner of aforesaid lands and said north line of Melvin Padgett Road; thence run N 89 deg 51 min 58 sec E, along said north line, 353.59 to the Point of Beginning. Containing 6.92 Acres more or less

RE# 001271-3215

Actual acreage: 7.11

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777

Fax: (352) - 473 - 8526

1656 NE 161st Street Starke, Florida 32091

November 6, 2019 Job No. H-18-012

DESCRIPTION: GAS PARCEL

A parcel of land being a portion of the lands as described in Official Records Book 9609,

Page 1913, of the Public Records of Duval County, Florida, said parcel lying and being situated in Section 26, Township 3 South, Range 23 East, Duval County, Florida, lying South of State Road No. 228 (also known as Normandy Boulevard) and East of the lands described in Official Records Book 9599, Page 1735, of the Public Records of Duval County, Florida, more particularly described as follows:

COMMENCE at a point marking the intersection of the South right-of-way boundary of State Road No. 228, (also known as Normandy Boulevard) per Florida Department of Transportation Project 5500 and the East boundary of the lands described in Official Records Book 9599, Page 1735, of the Public Records of Duval County, Florida; thence coincident with said South right-of-way boundary, N. 80°23' 35" E., a distance of 215.50 feet; thence departing said South right-of-way boundary, S., 16°06' 48" W., a distance of 210.00 feet; thence S. 80°23' 35" W., a distance of 104.51 feet; thence S. 16°06' 48" W., a distance of 315.00 feet; thence N. 73°53' 12" W., a distance of 100.00 feet to a point coincident with the aforesaid East boundary of the lands described in Official Records Book 9599, Page 1735; thence coincident with said East boundary, N. 16°06' 48" E., a distance of 476.83 feet to the Point of Beginning.

RE# 001131-3145

Actual acreage: 1.60

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

July 11, 2019

<u>DESCRIPTION OF LANDS SURVEYED</u> (TruVenture Holdings - 92.82 Ac.)

A Tract of land being a Portion of Section 36, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms", as recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being more particularly described as follows:

Begin at a concrete monument at the Southeast corner of Section 35 and run N 00 deg 20 min 06 sec W, along the East line of said Section 35, a distance of 2476.46 feet to a concrete monument on the East right of way line of McClellan Road, thence run Northerly along said right of way line with a curve concave Westerly, said curve having a radius of 984.93 feet, an arc length of 221.60 feet and a chord bearing and distance of N 06 deg 12 min 47 sec E, 221.13 feet to an Iron Rod at the point of tangency in said right of way; thence run N 00 deg 13 min 57 sec W, along said right of way line, 717.87 feet to an Iron Rod at the southwest corner of lands described in Official Records Book 18236 on Page 2198 of said public records; thence run S 62 deg 16 min 30 sec E, along the south line of said lands and a prolongation thereof, 1655.34 feet to an Iron Rod on the westerly right of way line of Trail Ridge Road, a county right of way as described in Official Records Book 5718 on Page 2238 of said public records; thence run S 00 deg 15 min 15 sec W, along said right of way line, 101.23 feet to an Iron Rod on the North line of the E 1/2 of the SW 1/4 of Section 36 as monumented, possessed and locally accepted; thence run N 89 deg 18 min 50 sec W, along said North line, 196.59 feet to an Iron Rod at the Northwest corner of said E 1/2 of the SW 1/4, also being a point on a Northerly prolongation of the East line of Farm Lot 23, as shown on said Plat; thence run S 00 deg 09 min 44 sec E, along said prolongation, along the East line of said Farm Lot 23, the East Line of Farm Lot 26 and along a Southerly prolongation of the East line of said Farm Lot 26, a distance of 2611.07 feet to a concrete monument on the South line of said Section 36; thence run N 88 deg 34 min 29 sec W, along said South line, 1282.26 feet to the Point of Beginning. Said Tract containing 92.82 acres more or less.

RE# 001291-5000 001291-3110

Actual acreage: 92.70

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

May 23, 2018 Rev: July 8, 2018 Job No. H-17-071-DS

DESCRIPTION: (Treeline Trails Lands 58.06 Ac)

A Tract of land situated in Section 36, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being a portion of Farm Lots 5, 6, 7, 8, 9, 10, 11 and 12 of Section 36 as shown on said plat and more particularly described as follows:

Commence at the Northwest Corner of Section 36 and run S 88 deg 00 min 19 sec E,. along the North line of said Section 36, a distance of 30.02 feet to a concrete monument on the East Line of McClellan Road, a county right of way; thence run S 00 deg 13 min 57 sec E, along said right of way line, 571.08 feet to a concrete monument at the southwesterly corner of lands described in Official Records book 17901, Page 385 of said public records and the Point of Beginning; thence run in general easterly direction along the south line of said lands with the following courses and distances: N 89 deg 02 min 40 sec E, 735.0 feet; N 00 deg 57 min 20 sec W, 386.91 feet; N 88 deg 48 min 44 sec E, 103.29 feet; northeasterly with a curve concave northwesterly having an arc length of 182.81 feet, a radius of 1135.0 feet and a chord bearing and distance of N 84 deg 11 min 54 sec E, 182.61 feet; southeasterly with a curve concave southwesterly having an arc length of 240.14 feet, a radius of 155.0 feet and a chord bearing and distance of S 56 deg 01 min 56 sec E, 216.83 feet; S 59 deg 54 min 46 sec E, 53.04 feet; N 80 deg 49 min 49 sec E, 175.51 feet; S 23 deg 42 min 11 sec E, 409.11 feet; S 79 deg 58 min 22 sec E, 689.05 feet; thence leave said southerly line and run S 10 deg 00 min 41 sec W, 600.82 feet; S 73 deg 26 min 11 sec W, 419.87 feet; S 27 deg 43 min 30 sec W, 653.08 feet to a point on the Northerly line of Forest Trail Road No. 29, a county right of way as described in Official Records Book 5432, Page 235 of said public records; thence run N 62 deg 16 min 30 sec W, along said right of way line, 1628.86 feet to an intersection of said northerly line with the said east line of McClellan Road; thence run N 00 deg 13 min 57 sec W, along said right of way line, 726.40 feet to the Point of Beginning. Said Tract containing 58.06 acres more or less.

SUBJECT TO:

A 20' Easement to American Telephone and Telegraph for Underground Fiber Optic Cable.

RE# 001291-0020

Actual acreage: 55.50

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

October 25, 2019 Job No. H-18-012-A PARCEL B ORD LANDS

DESCRIPTION OF REZONED ORD LANDS

A Parcel of land situated in that Portion of the W 1/2 of the SW 1/4 of the NE 1/4; that Portion of Block 4 in Section 30, Township 3 South, Range 24 East; Lying West and Southwesterly of Soloman Road and Portions of Blocks 1 and 4 in Section 31, Township 3 South, Range 24 East; Lying Southwesterly of Soloman Road and Northeasterly of a 305' Florida Power and Light Company Right of Way for Power Transmission as described in Official Records Book 5780, Page 215; Said Blocks as shown on "Jacksonville Heights" as per plat thereof recorded in Plat Book 5 on Page 94 of the public records of Duval County, Florida; Said Parcel of land being more particularly described as follows:

Commence at the Southeast corner of Section 30 and run S 89 deg 29 min 13 sec W, along the south line of said Section 30 and the north line of said Section 31, a distance of 740.89 feet to an Iron Rod on the westerly right of way line of Soloman Road and the Point of Beginning.; thence run N 29 deg 50 min 54 sec W, along said right of way line, 2265.11 feet to a concrete monument and a point of curve; thence run Northwesterly along said right of way line with a curve northeasterly having a arc length of 398.31 feet, a radius of 746.20 feet and a chord bearing and distance of N 14 deg 33 min 23 sec W, 393.60 feet to a concrete monument and a point of tangency; thence run N 00 deg 44 min 08 sec E, along right of way line, 1248.73 feet to a concrete monument and a point of curve; thence run northeasterly along said right of way line with a curve concave easterly having an arc length of 265.79 feet, a radius of 2321.83 feet and a chord bearing and distance of N 04 deg 07 min 29 sec E, 265.65 feet to a concrete monument and a point of reverse curve; thence continue northeasterly along said right of way line with a curve concave westerly having an arc length of 209.48 feet, a radius of 2261.83 feet and a chord bearing and distance of N 04 deg 45 min 04 sec E, 209.40 feet to a concrete monument; thence leave said right of way and run S 89 deg 03 min 56 sec W, 661.51 feet to a concrete monument at the northwest corner of said W 1/2 of the SW 1/4 of the NE 1/4; thence run S 00 deg 56 min 21 sec W, along the west line of the aforesaid W1/2 and along the east line of the N 1/2 of SW 1/4 of said Section 30, a distance of 2718.63 feet to a point on a westerly prolongation of the south line of Tract 8 of Block 4 of said Section 30; thence run N 88 deg 55 min 19 sec E, along said prolongation and said south, 665.20 feet to the northeast corner of Tract 11 of said Block 4; thence run S 01 deg 07 min 02 sec W, along the west line of said Tract 11 and along a southerly prolongation thereof, 1362.72 feet to the north line of said Section 31; thence run S 01 deg 03 min 32 sec W, along a northerly prolongation of the west line of Tract 6 of Block 1 of Section 31; the west line of said Tract 6; the west line of Tract 11 of Block 1; a southerly prolongation of the west line of said Tract 11; a northerly prolongation of the west line of Tract 6 of Block 4 of Section 31 and the west line of said Tract 6, a distance of 2781.36 feet to an intersection of said west line with the northeasterly line of a 305' Florida Power and Light Company Right of Way for Power Transmission; thence run S 52 deg 10 min 49 sec E, along said right of way line, 2487.64 feet to an Iron Rod on the East line of said Section 31; thence run N 00 deg 02 min 40 sec E, along said east line, 363.10 feet to an Iron Rod on a easterly prolongation of the south line of Tract 2 – Block 4 as shown on said Plat; thence run S 89 deg 14 min 20 sec W, along said prolongation and along said south line, a distance of 283.83 feet to an Iron Rod on the northeasterly line of a 110 foot Florida Power & Light Company Right of Way Easement for Power Transmission as described in Official Records Book 4600 on Page 922 of said public records; thence run N 52 deg 10 min 49 sec W, along said right of way, 474.62 feet to a point on the west line of Tract 2 – Block 4 as shown on said Plat; thence run N 00 deg 16 min 17 sec E, along said west line, 364.51 feet to the northwest corner thereof; thence run S 89 deg 16 min 56 sec W, along a westerly prolongation of the north line of said Tract 2 –

Block 4 and the southerly line of lands described in Official Records Book 18398 on Page 2994 of said public records; 146.79 feet to an Iron Rod at the southwest corner of the aforesaid lands; thence run N 22 deg 18 min 52 sec W, along the southwesterly of aforesaid lands, 222.50 feet to an Iron Rod at the northwesterly corner of aforesaid lands; thence run along the north line of said lands with the following two (2) courses and distances: N 58 deg 49 min 17 sec E, 29.30 feet; N 84 deg 38 min 31 sec E, 867.46 feet to a point on the east line of said Section 31; thence run N 00 deg 02 min 40 sec E, along said east line; 60.27 feet to a point on the easterly prolongation of the southerly line of lands described in Official Records Book 17484 on Page 2333 of said public records; thence run S 84 deg 38 min 31 sec W, along said prolongation; along said south line and the south line of lands described in Official Records Book 18418 on 1249, a distance of 886.88 feet; thence run S 58 deg 49 min 17 sec W, along said south line, 396.23 feet to said northeasterly right of way line of Florida Power & Light Company Easement; thence run N 52 deg 10 min 49 sec W, along said right of way line, 924.96 feet to an intersection with the south of the NE 1/4 of said Section 31; thence leave said right of way line and run N 89 deg 19 min 31 sec E, along said south line, 650.71 feet to an Iron Rod on a southerly prolongation of the east line of Tract 12 – Block 1 as shown on said Plat; thence run N 01 deg 12 min 10 sec E, along said prolongation and along said east line a distance of 1022.54 feet to the southeast corner of lands described in Official Records Book 18006, page 617 of said public records; thence run S 89 deg 24 min 23 sec W, along said south line of aforesaid lands and a westerly prolongation thereof, 532.13 feet to an Iron Rod at the southwest corner of lands described in Official Records Book 18703, page 2321 of said public records; thence run N 01 deg 04 min 35 sec E, along the west line of the aforesaid lands, 658.32 feet to the centerline of a 75.0' Easement for Ingress, Egress and Utilities known as "Brady Acres Trail"; thence run S 67 deg 13 min 49 sec E, along said centerline, 19.69 feet; thence run easterly along said centerline with a curve concave northerly having an arc length of 201.04 feet, a radius of 472.50 feet and a chord bearing and distance of S 84 deg 03 min 29 sec E, 199.53 feet; thence run N 74 deg 32 min 52 sec E, along said centerline, 96.12 feet; thence run N 57 deg 55 min 16 sec E, along said centerline, 135.17 feet; thence run northeasterly along said centerline with a curve concave southeasterly having an arc length of 126.97 feet, a radius of 650.66 feet and a chord bearing and distance of N 62 deg 23 min 54 sec E, 126.77 feet to a point on the east line of Tract 5 – Block 1 as shown on said Plat and the northeast corner of lands described in Official Records Book 18006, Page 617 of said public records; thence leave said centerline and run S 01 deg 12 min 10 sec W, along said east line, 481.08 feet to the southeast corner of said Tract 5 and the southwest corner of Tract 4 - Block 1 as shown on said Plat; thence run N 89 deg 24 min 23 sec E, along the south line of said Tract 4 - Block 1, a distance of 316.15 feet to the southwest corner of lands described in Official Records Book 17260, Page 1071 of said public records; thence run N 01 deg 04 min 34 sec E, along the west line of aforesaid lands, 535.79 feet to the northwest corner thereof and the centerline of said "Brady Acres Trail"; thence westerly along said centerline with a curve concave southerly having an arc length of 165.46 feet, a radius of 430.0 feet and a chord bearing and distance of S 85 deg 50 min 17 sec W, 164.44 feet to the southwest corner of lands described in Official Records Book 18558 on Page 1947 of said public records; thence leave said centerline and run N 01 deg 19 min 47 sec E, along the west line of aforesaid lands and along the west line of lands described in Official Records Book 17905, Page 1729 of said public records, a distance of 807.90 feet to the northwest corner of the aforesaid lands and the common line between said Sections 30 and 31; thence run N 89 deg 29 min 13 sec E, along said common line, 470.01 feet to the Point of Beginning.

Less and except the portion designated RE# 002401-5000 consisting of 44.82 acres in the Deed recorded at Official Records Book 5780 on Page 215.

The above described lands containing 75.98 acres more or less. Being A Portion of Those Lands Designated as "Less and Except" in Rezoning Ordinance No. 2010 – 0385 of The City of Jacksonville

RE# 002398-0000 002401-2460 002401-2505 002410-0020 002412-4100

THE-TRAILS-PHASE-1-PART-A

A-PART-OF-SECTIONS-25-AND-36,-TOWNSHIP-3-SOUTH,-RANGE-23-EAST,-AS-SHOWN-ON-PLAT-OF-MAXVILLE-FARMS-RECORDED-IN-PLAT-BOOK-3,-PAGE-94-OF-THE-CURRENT-PUBLIC-RECORDS-OF-DUVAL-COUNTY,-FLORIDA,-BEING-MORE-PARTICULARLY-DESCRIBED-AS-FOLLOWS:

FOR-A-POINT-OF-REFERENCE,-COMMENCE-AT-THE-SOUTHEAST-CORNER-OF-SAID-SECTION-25;-THENCE-SOUTH-01°12'26"-WEST,-A-DISTANCE-OF-223.22-FEET-TO-A-POINT-ON-THE-NORTHEASTERLY-LINE-OF-A-305-FOOT-WIDE-FLORIDA-POWER-AND-LIGHT-COMPANY-RIGHT-OF-WAY-AS-DESCRIBED-IN-OFFICIAL-RECORDS-BOOK-5780,-PAGE-215-OF-SAID-CURRENT-PUBLIC-RECORDS;-THENCE-SOUTH-01°12'26"-WEST,-A-DISTANCE-OF-380.31-FEET-TO-A-POINT-ON-THE-SOUTHWESTERLY-LINE-OF-SAID-RIGHT-OF-WAY;-THENCE-NORTH-52°08'08"-WEST-ALONG-SAID-SOUTHWESTERLY-RIGHT-OF-WAY-LINE.-A-DISTANCE-OF-1766.57-FEET-TO-THE-POINT-OF-BEGINNING;-THENCE-SOUTH-37°5152"-WEST-LEAVING-SAID-SOUTHWESTERLY-RIGHT-OF-WAY-LINE,-A-DISTANCE-OF-351.29-FEET;-THENCE-SOUTH-73°48'13"-WEST,-A-DISTANCE-OF-1127.91-FEET;-THENCE-SOUTH-29°5420"-WEST,-A-DISTANCE-OF-544.49-FEET;-THENCE-NORTH-79°58'48"-WEST,-A-DISTANCE-OF-689.05-FEET,-THENCE-NORTH-23°42'37"-WEST,-A-DISTANCE-OF-409.11-FEET;-THENCE-SOUTH-80°49'23"-WEST,-A-DISTANCE-OF-175.51-FEET;-THENCE-NORTH-59°55'12"-WEST,-A-DISTANCE-OF-53.04-FEET-TO-A-POINT-ON-A-CURVE,-CONCAVE-SOUTHWESTERLY,-HAVING-A-RADIUS-OF-155.00-FEET;-THENCE-NORTHWESTERLY-ALONG-THE-ARC-OF-SAID-CURVE,-AN-ARC-DISTANCE-OF-240.14-FEET,-SAID-ARC-BEING-SUBTENDED-BY-A-CHORD-BEARING-OF-NORTH-56°02'22"-WEST-AND-A-CHORD-DISTANCE-OF-216.83-FEET-TO-THE-POINT-OF-REVERSE-CURVE-OF-A-CURVE,-CONCAVE-NORTHERLY,-HAVING-A-RADIUS-OF-1135.00-FEET;-THENCE-WESTERLY-ALONG-THE-ARC-OF-SAID-CURVE,-AN-ARC-DISTANCE-OF-182.80-FEET,-SAID-ARC-BEING-SUBTENDED-BY-A-CHORD-BEARING-OF-SOUTH-84°11'28"-WEST-AND-A-CHORD-DISTANCE-OF-182.61-FEET-TO-THE-POINT-OF-TANGENCY-OF-SAID-CURVE;-THENCE-SOUTH-88°48T8"-WEST,-A-DISTANCE-OF-103.29-FEET;-THENCE-SOUTH-00°57'46"-EAST,-A-DISTANCE-OF-386.91-FEET;-THENCE-SOUTH-89°02'14"-WEST,-A-DISTANCE-OF-735.14-FEET-TO-A-POINT-ON-THE-EASTERLY-RIOHT-OF-WAY-LINE-OF-McCLELLAN-ROAD-{A-60-FOOT-RIGHT-OF-WAY-AS-NOW-ESTABLISHED);-THENCE-NORTHWEST-ALONG-SAID-EASTERLY-RIGHT-OF-WAY-LINE,-A-DISTANCE-OF-571.08-FEET;-THENCE-NORTH-00°11'35"-WEST,-A-DISTANCE-OF-1950.38-FEET-TO-THE-SOUTHWEST-CORNER-OF-LANDS-DESCRIBED-IN-OFFICIAL-RECORDS-BOOK-8826,-PAGE-1187-OF-SAID-CURRENT-PUBLIC-RECORDS;-THENCE-NORTH-84°39'59"-EAST-ALONG-THE-SOUTH-LINES-OF-SAID-LANDS,-A-DISTANCE-OF-206.38-FEET-TO-THE-SOUTHEAST-CORNER-THEREOF;-THENCE-NORTH-00°14'46"-WEST-ALONG-THE-EASTERLY-LINE-OF-SAID-LANDS,-A-DISTANCE-OF-435.70-FEET-TO-A-POINT-ON-THE-SOUTHERLY-RIGHT-OF-WAY-LINE-OF-STATE-ROAD-NO.-228-(NORMANDY-BOULEVARD,-A-100-FOOT-RIGHT-OF-WAY-AS-NOW-ESTABLISHED);-THENCE-NORTH-80°23'47"-EAST-ALONG-SAID-SOUTHERLY-RIGHT-OF-WAY-LINE,-A-DISTANCE-OF-767.42-FEET-TO-A-POINT-ON-THE-SOUTHWESTERLY-LINE-OF-SAID-305-FOOT-FLORIDA-POWER-AND-LIGHT-COMPANY-RIGHT-OF-WAY-FOR-POWER-TRANSMISSION-AS-DESCRIBED-IN-OFFICIAL-RECORDS-BOOK-5780,-PAGE-215-OF-SAID-PUBLIC-RECORDS;-THENCE-SOUTH-52°08'08"-EAST-ALONG-SAID-SOUTHWESTERLY-RIGHT-OF-WAY-LINE,-A-DISTANCE-OF-3640.91-FEET-TO-THE-POINT-OF-BEGINNING. CONTAINING-176.68-ACRES-MORE-OR-LESS.

RE# 001119-7640 001119-7650

- 001119-7660
- 001119-7670
- 001119-7680
- 001119-7690
- 001119-7700
- 001119-7710
- 001119-7720
- 001119-7730
- 001119-7740
- 001119-7750
- 001119-7760
- 001119-7770
- 001119-7775
- 001119-7780
- 001119-7785
- 001119-7790
- 001119-7795
- 001119-7800
- 001119-7805
- 001119-7810
- 001119-7815
- 001119-7820
- 001119-7825
- 001119-7830
- 001119-7835
- 001119-7840
- 001119-7845
- 001119-7850
- 001119-7855
- 001119-7860
- 001119-7865
- 001119-7870
- 001119-7875
- 001119-7880
- 001119-7885
- 001119-7890
- 001119-7895
- 001119-7900
- 001119-7905
- 001119-7910
- 001119-7915
- 001119-7920
- 001119-7925

- 001119-7930
- 001119-7935
- 001119-7940
- 001119-7945
- 001119-7950
- 001119-7955
- 001119-7960
- 001119-7965
- 001119-7970
- 001119-7975
- 001119-7980
- 001117-7700
- 001119-7985
- 001119-7990
- 001119-7995
- 001119-8000
- 001119-8005
- 001119-8010
- 001119-8015
- 001119-8020
- 001119-8025
- 001119-8030
- 001119-8035
- 001119-8040
- 001119-8045
- 001119-8050
- 001119-8055
- 001119-8060
- 001119-8065
- 001119-8070
- 001119-8075
- 001119-8080
- 001119-8085
- 001119-8090
- 001119-8095
- 001119-8100
- 001119-8105
- 001119-8110
- 001119-8115
- 001119-8120
- 001119-8125
- 001119-8130
- 001119-8135
- 001119-8140

- 001119-8145
- 001119-8150
- 001119-8155
- 001119-8160
- 001119-8165
- 001119-8170
- 001119-8175
- 001119-8180
- 001119-8185
- 001119-8190
- 001119-8195
- 001119-8200
- 001119-8205
- 001119-8210
- 001119-8215
- 001119-8220
- 001119-8250
- 001110 0255
- 001119-8255
- 001119-8260
- 001119-8265
- 001119-8270
- 001119-8275
- 001119-8280
- 001119-8285
- 001119-8290
- 001119-8295
- 001119-8300
- 001119-8305
- 001119-8310
- 001119-8315
- 001119-8320
- 001119-8325
- 001119-8330
- 001119-8335
- 001119-8340
- 001119-8345
- 001119-8350
- 001119-8355
- 001119-8360
- 001119-8365
- 001119-8370
- 001119-8375
- 001119-8380

- 001119-8385
- 001119-8390
- 001119-8395
- 001119-8400
- 001119-8405
- 001119-8410
- 001119-8415
- 001119-8420
- 001119-8425
- 001119-8430
- 001119-8435
- 001119-8440
- 001119-8445
- 001119-8450
- 001119-8455
- 001119-8460
- 001119-8465
- 001119-8470
- 001119-8475
- 001119-8480
- 001119-8485
- 001119-8490
- 001119-8495
- 001119-8500
- 001119-8505
- 001119-8510
- 001119-8515
- 001119-8520
- 001119-8525 001119-8530
- 001119-8535
- 001119-8540
- 001119-8545
- 001119-8550 001119-8555
- 001119-8560
- 001119-8565
- 001119-8570
- 001119-8575
- 001119-8580
- 001119-8585
- 001119-8590
- 001119-8595

001119-8600 001119-8605 001119-8610 001119-8615 001119-8620 001119-8625 001119-8630 001119-8635 001119-8640 001119-8645 001119-8650 001119-8655 001119-8660 001119-8665 001119-8670 001119-8675 001119-8680 001119-8685 001119-8690 001119-8695 001119-8700 001119-8705 001119-8710 001119-8715 001119-8720 001119-8725 001119-8730 001119-8735 001126-8120

Actual-acreage:-176.71

To:--RR

THE-TRAILS-PHASE-1-PART-B

A-PART-OF-SECTIONS-25-AND-36,-TOWNSHIP-3-SOUTH,-RANGE-23-EAST,-AS-SHOWN-ON-PLAT-OF-MAXVILLE-FARMS-RECORDED-IN-PLAT-BOOK-3,-PAGE-94-OF-THE-CURRENT-PUBLIC-RECORDS-OF-DUVAL-COUNTY,-FLORIDA,-BEING-MORE-PARTICULARLY-DESCRIBED-AS-FOLLOWS:

FOR-A-POINT-OF-REFERENCE,-COMMENCE-AT-THE-SOUTHEAST-CORNER-OF-SAID-SECTION-25;-THENCE-SOUTH-01°12'26"-WEST-ALONG-THE-EAST-LINE-OF-SAID-SECTION-36,-A-DISTANCE-OF-223.22-FEET-TO-A-POINT-ON-THE-NORTHEASTERLY-LINE-OF-A-305-FOOT-WIDE-FLORIDA-POWER-AND-LIGHT-COMPANY-RIGHT-OF-WAY-FOR-POWER-TRANSMISSION-AS-DESCRIBED-IN-OFFICIAL-RECORDS-BOOK-5780,-PAGE-215-OF-THE-CURRENT-PUBLIC-RECORDS-OF-SAID-COUNTY;-THENCE-NORTH-52°08'08"-WEST-ALONG-SAID-NORTHEASTERLY-RIGHT-OF-WAY-LINE,-A-DISTANCE-OF-905.95-FEET-TO-THE-POINT-BEGINNING;-THENCE-CONTINUE-NORTH-52°08'08"-WEST-ALONG-SAID-NORTHEASTERLY-RIGHT-OF-WAY-LINE.-A-DISTANCE-OF-3997.13-FEET-TO-SOUTHERLY-RIGHT-OF-WAY-LINE-OF-STATE-ROAD-NO.-228-(NORMANDY-BOULEVARD,-A-100-FOOT-RIGHT-OF-WAY-AS-NOW-ESTABLISHED),-SAID-POINT-LYING-ON-A-CURVE,-CONCAVE-NORTHWESTERLY,-HAVING-A-RADIUS-OF-5779.59-FEET;-THENCE-NORTHEASTERLY-ALONG-SAID-SOUTHERLY-RIGHT-OF-WAY-LINE-AND-ALONG-THE-ARC-OF-SAID-CURVE,-AN-ARC-DISTANCE-OF-1871.50-FEET,-SAID-ARC-BEING-SUBTENDED-BY-A-CHORD-BEARING-OF-NORTH-69°39'47"-EAST-AND-A-CHORD-DISTANCE-OF-1863.33-FEET-TO-THE-POINT-OF-TANGENCY-OF-SAID-CURVE;-THENCE-NORTH-60°23'11"-EAST-CONTINUING-ALONG-SAID-SOUTHERLY-RIGHT-OF-WAY-LINE.-A-DISTANCE-OF-559.28-FEET-TO-A-POINT-ON-THE-SOUTH-LINE-OF-THE-NORTH-300-FEET-OF-FARM-LOT-14-OF-SAID-SECTION-25:-THENCE-SOUTH-89°15'28"-EAST-ALONG-THE-SOUTH-LINE-OF-THE-NORTH-300-FEET-OF-SAID-FARM-LOTS-14,-15,-AND-16,-AND-AN-EASTERLY-PROJECTION-THEREOF,-A-DISTANCE-OF-1666.36-FEET-TO-A-POINT-ON-THE-EAST-LINE-OF-SAID-SECTION-25;-THENCE-SOUTH-00°22'28"-WEST-ALONG-SAID-EAST-LINE,-A-DISTANCE-OF-1882.65-FEET;-THENCE-SOUTH-48°13'11"-WEST-A-DISTANCE-OF-963.24-FEET:-THENCE-SOUTH-1244'31°"-WEST-A-DISTANCE-OF-415.64-FEET:-THENCE-SOUTH-22°53'27"-EAST-A-DISTANCE-OF-367.42-FEET;-THENCE-SOUTH-37°51'52"-WEST-A-DISTANCE-OF-104.21-FEET-TO-THE-POINT-OF-BEGINNING. CONTAINING-165.13-ACRES-MORE-OR-LESS.

RE#	001119-6110
	001119-6115
	001119-6120
	001119-6125
	001119-6130
	001119-6135
	001119-6140
	001119-6145
	001119-6150
	001119-6155
	001119-6160
	001119-6165
	001119-6170
	001119-6175
	001119-6180
	001119-6185
	001119-6190

- 001119-6195
- 001119-6200
- 001119-6205
- 001119-6210
- 001119-6215
- 001119-6220
- 001119-6225
- 001119-6230
- 001119-6235
- 001119-6240
- 001119-6245
- 001119-6250
- 001119-6255
- 001119-6260
- 001119-6265
- 001119-6270
- 001119-6275
- 001119-6280
- 001119-6285
- 001119-6290
- 001119-6295
- 001119-6300
- 001119-6305
- 001119-6310
- 001119-6315
- 001119-6320
- 001119-6325
- 001119-6330
- 001119-6335
- 001119-6340
- 001119-6345
- 001119-6350
- 001119-6355
- 001119 6360
- 001119-6365
- 001119-6370
- 001119-6375
- 001119-6380
- 001119-6385
- 001119-6390
- 001119-6395
- 001119-6400
- 001119-6405

- 001119-6410
- 001119-6415
- 001119-6420
- 001119-6425
- 001119-6430
- 001119-6435
- 001119-6440
- 001119-6445
- 001119-6450
- 001119-6455
- 001119-6460
- 001119-6465
- 001119-6470
- 001119-6475
- 001119-6480
- 001119-6485
- 001119-6490
- 001119-6495
- 001119-6500
- 001119-6505
- 001119-6510
- 001119-6515
- 001119-6520
- 001110 (535
- 001119-6525
- 001119-6530 001119-6535
- 001119-6540
- 001119-6545
- 001119-6550
- 001119-6555
- 001119-6560
- 001119-6565
- 001119-6570
- 001119-6575
- 001119-6580
- 001119-6585
- 001119-6590
- 001119-6595
- 001119-6600
- 001119-6605
- 001119-6610
- 001119-6615
- 001119-6620

- 001119-6625
- 001119-6630
- 001119-6635
- 001119-6640
- 001119-6645
- 001119-6650
- 001119-6655
- 001119-6660
- 001119-6665
- 001119-6670
- 001119-6675 001119-6680
- 001119-6685
- 001119-6690
- 001119-6695
- 001119-6700
- 001119-6705
- 001119-6710
- 001119-6715 001119-6720
- 001119-6725
- 001119-6730
- 001119-6735
- 001119-6740
- 001119-6745
- 001119-6750
- 001119-6755
- 001119-6760
- 001119-6765
- 001119-6770
- 001119-6775
- 001119-6780
- 001119-6785
- 001119-6790
- 001119-6795
- 001119-6800
- 001119-6805
- 001119-6810
- 001119-6815
- 001119-6820
- 001119-6825
- 001119-6830
- 001119-6835

- 001119-6840
- 001119-6845
- 001119-6850
- 001119-6855
- 001119-6860
- 001119-6865
- 001119-6870
- 001119-6875
- 001119-6880
- 001119-6885
- 001119-6890
- 001119-6895
- 001119-6900
- 001119-6905
- 001119-6910
- 001119-6915
- 001119-6920
- 001119-6925
- 001119-6930
- 001119-6935
- 001119-6940
- 001119-6945
- 001119-6950
- 001119-6955
- 001119-6960
- 001119-6965
- 001119-6970
- 001119-6975
- 001119-6980
- 001119-6985
- 001119-6990
- 001119-6995
- 001119-7000
- 001119-7005
- 001119-7010
- 001119-7015
- 001119-7020
- 001119-7025
- 001119-7030
- 001119-7035
- 001119-7040
- 001119-7045
- 001119-7050

- 001119-7055
- 001119-7060
- 001119-7065
- 001119-7070
- 001119-7075
- 001119-7080
- 001119-7085
- 001119-7090
- 001119-7095
- 001119-7100
- 001119-7105
- 001117-7103
- 001119-7110
- 001119-7115
- 001119-7120
- 001119-7125
- 001119-7130
- 001119-7135
- 001119-7140
- 001119-7145
- 001119-7150
- 001119-7155
- 001119-7160
- 001119-7165
- 001119-7170
- 001119-7175
- 001119-7180
- 001119-7185
- 001119-7190 001119-7195
- 001119-7200
- 001119-7205
- 001119-7210
- 001119-7215
- 001119-7220
- 001119-7225
- 001119-7230
- 001119-7235
- 001119-7240
- 001119-7245
- 001119-7250
- 001119-7255
- 001119-7260
- 001119-7265

- 001119-7270
- 001119-7275
- 001119-7280
- 001119-7285
- 001119-7290
- 001119-7295
- 001119-7300
- 001119-7305
- 001119-7310
- 001119-7315
- 001119-7320
- 001119-7325
- 001119-7330
- 001119-7335
- 001117-7333
- 001119-7340
- 001119-7345
- 001119-7350
- 001119-7355
- 001119-7360
- 001119-7365
- 001119-7370
- 001119-7375
- 001119-7380
- 001119-7385
- 001119-7390
- 001119-7395
- 001119-7400
- 001119-7405
- 001119-7410
- 001119-7415
- 001119-7420
- 001119-7425
- 001119-7430
- 001119-7435
- 001119-7440
- 001119-7445
- 001119-7450
- 001119-7455
- 001119-7460
- 001119-7465
- 001119-7470
- 001119-7475
- 001119-7480

001119-7485 001119-7490 001119-7495 001119-7500 001119-7505 001119-7510 001119-7515 001119-7520 001119-7525 001119-7530 001119-7535 001119-7540 001119-7545 001119-7550 001119-7555 001119-7560 001119-7565 001119-7570 001119-7575 001119-7580 001119-7585 001119-7590 001119-7595 001119-7600 001119-7605 001119-7610 001119-7615 001119-7620

001119-7625

Actual-acreage:--165.13

To:--RR

AGR-IV

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

August 27, 2014 Job No. H-14-090-2

DESCRIPTION OF LANDS SURVEYED

PARCEL 2 (8.3 Ac.) Ricky Horn

A Parcel of Land situated in a portion of Farm Lots 15 and 16; Section 35, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Parcel being more particularly described as follows:

Commence at the Northeast corner of Section 35 (said corner being in the centerline of McClellan Road) and run S 00 deg 20 min 06 sec E, along the east line of said Section 35, 1342.03 feet; thence continue S 00 deg 20 min 06 sec E, along said east line, 732.77 feet; thence leave said centerline and run S 89 deg 45 min 36 sec W, 33.63 feet to an Iron Rod on the westerly right of way line of McClellan Road and the Point of Beginning; thence run S 00 deg 14 min 24 sec E, along said right of way line,435.06 feet to an Iron Rod at the intersection of the northerly line of Girl Road, a 40' access road; thence run westerly, along said northerly line with the following courses and distances: S 73 deg 52 min 20 sec W, 464.53 feet to an Iron Rod; S 81 deg 21 min 27 sec W, 195.43 feet to an Iron Rod; S 87 deg 19 min 05 sec W, 45.93 feet to an Iron Rod; thence leave said northerly line and run N 00 deg 14 min 24 sec W, 592.74 feet to an Iron Rod; thence run N 89 deg 45 min 36 sec E, 686.00 feet to the Point of Beginning. Said Tract containing 8.3 ac more or less.

SUBJECT TO: 20' Easement to American Telephone and Telegraph for Buried Fiber Optic Cable.

RE# 001270 9600

Actual acreage: 8.30

To: AGR-IV

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council

Member Florida Land Surveyors Council (352) - 473 - 8523

(904) - 964 - 5777

(904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

August 28, 2017 Job No. H-13-184-McC-S7

DESCRIPTION OF LANDS SURVEYED

PARCEL 7:

A parcel of land situated in Farm Lot 31 of Section 35, Township 3 South, Range 23 East of "Maxville Farms", as recorded in Plat Book 3 on page 94 of the public records of Duval County, Florida and more particularly described as follows:

Commence at a concrete monument at the Southeast corner of Section 35 and run S 89 deg 51 min 58 sec W, along the South line of said Section 35, a distance of 330.0 feet to the southwest corner of lands described in Official Records Book 3728, Page 18 of the public records of said county; thence continue S 89 deg 51 min 58 sec W, along said south line, 662.17 feet; thence leave said south line and run N 00 deg 20 min 06 sec W, 30.0 feet to an Iron Rod on the North line of Melvin Padgett Road at the Southwest corner of lands described in Official Records Book 18035 on Page 89 of the public records of said county and the Point of Beginning; thence run S 89 deg 51 min 58 sec W, along said north line, 327.62 feet to a Iron Rod at the intersection of the Easterly Right of Way Line of County Road No. 217; thence run N 00 deg 03 min 58 sec E, along said right of way line, 7.36 feet to an Iron Rod at a point of curvature, thence run northeasterly along said right of way line with a curve concave easterly having an arc length of 520.06 feet, a radius of 925.66 feet and a chord bearing and distance of N 16 deg 09 min 31 sec E, 513.25 feet to an Iron Rod at the end of said curve; thence run N 32 deg 34 min 05 sec E, 15.32 feet to an Iron Rod; thence run S 80 deg 10 min 15 sec E, 176.29 feet to an Iron Rod at the Northwest corner of said Official Records Book 18035, Page 89; thence run S 00 deg 20 min 06 sec E, along the west line of said lands, 482.39 feet to the Point of Beginning.

Said parcel containing 3.21 acres more or less.

RE# 001271-3180

Actual acreage: 2.75

To: AGR-IV

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

April 6, 2017 Job No. H-13-184-McC-S8

DESCRIPTION OF LANDS SURVEYED

PARCEL 8:

A parcel of land situated in Farm Lot 31 of Section 35, Township 3 South, Range 23 East of "Maxville Farms", as recorded in Plat Book 3 on page 94 of the public records of Duval County, Florida and more particularly described as follows:

Commence at a concrete monument at the Southeast corner of Section 35 and run S 89 deg 51 min 58 sec W, along the South line of said Section 35, a distance of 330.0 feet to the southwest corner of lands described in Official Records Book 3728, Page 18 of the public records of said county; thence continue S 89 deg 51 min 58 sec W, along said south line, 353.60 feet; thence leave said south line and run N 00 deg 20 min 06 sec W, 30.0 feet to an Iron Rod on the North line of Melvin Padgett Road and the Point of Beginning; thence run S 89 deg 51 min 58 sec W, along said north line, 308.58 feet to a Iron Rod; thence run N 00 deg 20 min 06 sec W, 482.39 feet to an Iron Rod; thence run S 80 deg 10 min 15 sec E, 313.50 feet to an Iron Rod; thence run S 00 deg 20 min 06 sec E, 428.15 feet to the Point of Beginning.

Said parcel containing 3.23 acres more or less.

RE# 001271-3202

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

September 29, 2017 Job No. H-13-184-McC-S5

DESCRIPTION OF LANDS SURVEYED

PARCEL 5 (HODGES):

A parcel of land situated in Farm Lot 31 and 32 of Section 35, Township 3 South, Range 23 East of "Maxville Farms", as recorded in Plat Book 3 on page 94 of the public records of Duval County, Florida and more particularly described as follows:

Commence at a concrete monument at the Southeast corner of Section 35 and run N 00 deg 20 min 06 sec W, along the east line of said Section 35 and the east line of said Farm Lot 32, a distance of 396.0 feet to an Iron Pipe at the Northeast corner of lands described in Official Records Book 3205 on Page 853 of the public records of said county; thence continue N 00 deg 20 min 06 sec W, along the east line, 94.10 feet to an Iron Rod and the Point of Beginning; thence continue N 00 deg 20 min 06 sec W, along said east line, 152.48 feet to an Iron Rod; thence run N 80 deg 11 min 34 sec W, 1007.02 feet to a Iron Rod on the easterly right of way line of McClelland Road, a 60 foot county right of way; thence run S 32 deg 15 min 17 sec W, along said right of way line, 162.41 feet to an Iron Rod; thence leave said right of way line and run S 80 deg 11 min 34 sec E, 1095.88 feet to the Point of Beginning.

Said parcel containing 3.62 acres more or less.

RE# 001271-3300

Actual acreage: 3.42

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

November 18, 2016 Job No. H-13-184-McC-S1

DESCRIPTION OF LANDS SURVEYED

PARCEL 1:

A parcel of land situated in Farm Lot 31 and 32 of Section 35, Township 3 South, Range 23 East of "Maxville Farms", as recorded in Plat Book 3 on page 94 of the public records of Duval County, Florida and more particularly described as follows:

Commence at a concrete monument at the Southeast corner of Section 35 and run N 00 deg 20 min 06 sec W, along the east line of said Section 35 and the east line of said Farm Lot 32, a distance of 396.0 feet to an Iron Pipe at the Northeast corner of lands described in Official Records Book 3205 on Page 853 of the public records of said county; thence continue N 00 deg 20 min 06 sec W, along said east line, 714.03 feet to an Iorn Rod and the Point of Beginning; thence continue N 00 deg 20 min 06 sec W, 219.76 feet; thence run S 89 deg 38 min 30 sec W, 671.90 feet to a concrete monument on the easterly right of way line of McClelland Road, a 60 foot county right of way; thence run S 32 deg 15 min 17 sec W, along said right of way line, 105.75 feet to an Iron Rod; thence leave said right of way line and run S 80 deg 11 min 34 sec E, 740.43 feet to the Point of Beginning. Said parcel containing 2.53 acres more or less.

RE# 001278-0005 (partial)

Actual acreage: 2.52

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 Fax: (352) - 473 - 8526

1656 NE 161st Street Starke, Florida 32091

November 6, 2019 Job No. H-18-012

S 1/2 OF BOTTOM STRIP:

THAT CERTAIN TRACT OR PARCEL OF LAND BEING A PART OF FARM 25 AND A PART OF THE ROADS ADJOINING SAID LOT, SECTION 35, TOWNSHIP 3 SOUTH, RANGE 23 EAST, AS SHOWN ON PLAT OF MAXVILLE FARMS, RECORDED IN PLAT BOOK3, PAGE 94 OF THE CURRENT PUBLIC RECORDS OF DUVAL COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS BEGINNING AT THE SOUTHWEST CORNER OF SECTION35; THENCE NORTH 0 DEGREES 41 MINUTES 20 SECONDS WEST, ALONG THE WESTERLY BOUNDARY OF SAID SECTION 35, 659.54 FEET THENCE NORTH 89 DEGREES 54 MINUTES 24 SECONDS EAST, 165.05 FEET; THENCE SOUTH 0 DEGREES 41 MINUTES 23 SECONDS EAST, 659.60 FEET TO A POINT IN THE SOUTH LINE OF SAID SECTION 35; THENCE SOUTH 89 DEGREES 56 MINUTES 04 SECONDS WEST, 165.06 FEET TO THE POINT OF BEGINNING.

THE WEST 15 FEET AND SOUTH 15 FEET SUBJECT TO USE FOR ROAD PURPOSES AS SHOWN ON SAID PLAT OF MAXVILLE FARMS. THE NORTH 30 FEET RESERVED FOR A NON-EXCLUSIVE EASEMENT FOR INGRESS AND EGRESS.

RE# 001285 0100

Actual acreage: 2.50

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 Fax: (352) - 473 - 8526

1656 NE 161st Street Starke, Florida 32091

November 8, 2019 Job No. H-18-012

N 1/2 OF BOTTOM STRIP: (ORB 5987 – PAGE 1494)

THAT CERTAIN TRACT OR PARCEL OF LAND BEING A PART OF FARM 25 AND A PART OF THE ROADS ADJOINING SAID LOT, SECTION 35, TOWNSHIP 3 SOUTH, RANGE 23 EAST, AS SHOWN ON PLAT OF MAXVILLE FARMS, RECORDED IN PLAT BOOK3, PAGE 94 OF THE CURRENT PUBLIC RECORDS OF DUVAL COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS:

COMMENCING AT THE SOUTHEAST CORNER OF SECTION 35; THENCE NORTH 0° 41' 20" WEST, ALONG THE WESTERLY BOUNDARY OF SECTION 35, 659.54 FEET TO A POINT FOR THE POINT OF BEGINNING; THENCE CONTINUING NORTH 0°41'20" WEST, ALONG SAID WESTERLY BOUNDARY 659.54 FEET; THENCE NORTH 89°52'44" EAST, 165.04 FEET; THENCE SOUTH 0°41'20" EAST, 659.60 FEET; THENCE SOUTH 89°54'24" WEST, 165.05 FEET TO THE POINT OF BEGINNING. CONTAINING 2.5 ACRES MORE OR LESS.

THE WEST 15 FEET SUBJECT TO USE FOR ROAD PURPOSES AS SHOWN ON SAID PLAT OF MAXVILLE FARMS.

THE SOUTH 30 FEET RESERVED FOR NON EXCLUSIVE EASEMENT FOR INGRESS AND EGRESS.

RE# 001285 0050

Actual acreage: 2.50

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523

(904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

February 25, 2015 Job No. H-15-027-6

DESCRIPTION: TRACT 6 (4.2 Ac)

A tract of land situated in Section 36, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being a portion of Farm Lot 10 of Section 36 as shown on said plat and more particularly described as follows:

Commence at the Northwest Corner of Section 36 and run S 88 deg 00 min 19 sec E, along the North line of said Section 36, a distance of 30.02 feet to a concrete monument on the East Line of McClellan Road, a county right of way; thence run S 00 deg 13 min 57 sec E, along said right of way line, 1365.32 feet to a concrete monument on the Southerly line of Forest Trail Road No. 29, a county right of way as described in Official Records Book 5432, Page 235 of said public records; thence run S 62 deg 16 min 30 sec E, along said right of way line, 1413.65 to an Iron Rod and the Point of Beginning: thence run S 00 deg 04 min 18 sec W, a distance of 551.87 feet; thence run N 62 deg 16 min 30 sec W, parallel to said Forest Trail Road No. 29, a distance of 257.39 feet to an Iron Rod; thence run N 27 deg 43 min 30 sec E, 489.0 feet to the Point of Beginning. Said tract containing 1.44 acres more or less

RE# 001291 3200 (partial)

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

March 9, 2020 Job No. H-15-027-2

DESCRIPTION: (Booker 3.2 Ac – Lot 2)

A Tract of land situated in Section 36, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being a portion of Farm Lots 9 and 10 of Section 36 as shown on said plat and more particularly described as follows:

Commence at the Northwest Corner of Section 36 and run S 88 deg 00 min 19 sec E,. along the North line of said Section 36, a distance of 30.02 feet to a concrete monument on the East Line of McClellan Road, a county right of way; thence run S 00 deg 13 min 57 sec E, along said right of way line, 1365.32 feet to a concrete monument on the Southerly line of Forest Trail Road No. 29, a county right of way as described in Official Records Book 5432, Page 235 of said public records; thence run S 62 deg 16 min 30 sec E, along said right of way line, 460.05 feet to an Iron Rod and the Point of Beginning: thence continue S 62 deg 16 min 30 sec E, along said right of way line, 285.50 feet to an Iron Rod; thence run S 27 deg 43 min 30 sec W, 489.0 feet to an Iron Rod; thence run N 62 deg 16 min 30 sec W, parallel to said Forest Trail Road No. 29, a distance of 285.50 feet to an Iron Rod; thence run N 27 deg 43 min 30 sec E, 489.0 feet to the Point of Beginning. Said Tract containing 3.20 acres more or less.

RE# 001291-3210

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

April 28, 2015 Job No. H-15-027-1

DESCRIPTION: Corner – Lot 1 (3.71 Ac)

A Tract of land situated in Section 36, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being a portion of Farm Lot 9 of Section 36 as shown on said plat and more particularly described as follows:

Commence at the Northwest Corner of Section 36 and run S 88 deg 00 min 19 sec E, along the North line of said Section 36, a distance of 30.02 feet to a concrete monument on the East Line of McClellan Road, a county right of way; thence run S 00 deg 13 min 57 sec E, along said right of way line, 1365.32 feet to a concrete monument on the Southerly line of Forest Trail Road No. 29, a county right of way as described in Official Records Book 5432, Page 235 of said public records and the Point of Beginning; thence run S 62 deg 16 min 30 sec E, along said southerly right of way line, 460.05 feet to an Iron Rod: thence run S 27 deg 43 min 30 sec W, 489.0 feet to an Iron Rod; thence run N 62 deg 16 min 30 sec W, parallel to said Forest Trail Road No. 29, a distance of 200.29 feet to an Iron Rod on said East Right of Way Line; thence run N 00 deg 13 min 57 sec W, along said East right of way line,553.61 feet to the Point of Beginning. Said Tract containing 3.71 acres more or less.

RE# 001291-3220

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523

(904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

August 20, 2015 Job No. H-15-027-4

DESCRIPTION: (Johnson 2.5 Ac – Lot 4)

A Tract of land situated in Section 36, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being a portion of Farm Lots 9 and 10 of Section 36 as shown on said plat and more particularly described as follows:

Commence at the Northwest Corner of Section 36 and run S 88 deg 00 min 19 sec E,. along the North line of said Section 36, a distance of 30.02 feet to a concrete monument on the East Line of McClellan Road, a county right of way; thence run S 00 deg 13 min 57 sec E, along said right of way line, 1365.32 feet to a concrete monument on the Southerly line of Forest Trail Road No. 29, a county right of way as described in Official Records Book 5432, Page 235 of said public records; thence run S 62 deg 16 min 30 sec E, along said right of way line, 968.25 feet to an Iron Rod and the Point of Beginning: thence continue S 62 deg 16 min 30 sec E, along said right of way line, 222.70 feet to an Iron Rod; thence run S 27 deg 43 min 30 sec W, 489.0 feet to an Iron Rod; thence run N 62 deg 16 min 30 sec W, parallel to said Forest Trail Road No. 29, a distance of 222.70 feet to an Iron Rod; thence run N 27 deg 43 min 30 sec E, 489.0 feet to the Point of Beginning. Said Tract containing 2.50 acres more or less.

RE# 001291-3230

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

June 12, 2015 Job No. H-15-027-3

DESCRIPTION: (Booker 2.5 Ac – Lot 3)

A Tract of land situated in Section 36, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being a portion of Farm Lots 9 and 10 of Section 36 as shown on said plat and more particularly described as follows:

Commence at the Northwest Corner of Section 36 and run S 88 deg 00 min 19 sec E,. along the North line of said Section 36, a distance of 30.02 feet to a concrete monument on the East Line of McClellan Road, a county right of way; thence run S 00 deg 13 min 57 sec E, along said right of way line, 1365.32 feet to a concrete monument on the Southerly line of Forest Trail Road No. 29, a county right of way as described in Official Records Book 5432, Page 235 of said public records; thence run S 62 deg 16 min 30 sec E, along said right of way line, 745.55 feet to an Iron Rod and the Point of Beginning: thence continue S 62 deg 16 min 30 sec E, along said right of way line, 222.70 feet to an Iron Rod; thence run S 27 deg 43 min 30 sec W, 489.0 feet to an Iron Rod; thence run N 62 deg 16 min 30 sec W, parallel to said Forest Trail Road No. 29, a distance of 222.70 feet to an Iron Rod; thence run N 27 deg 43 min 30 sec E, 489.0 feet to the Point of Beginning. Said Tract containing 2.50 acres more or less.

RE# 001291-3240

Professional Surveyor and Mapper

Fla. Cert. No. 5500 Member Florida Land Surveyors Council (352) - 473 - 8523 (904) - 964 - 5777 (904) - 282 - 3136

1656 NE 161st Street - Starke, Florida 32091

August 20, 2015 Job No. H-15-027-5

DESCRIPTION: LOT 5 (2.5 Ac)

A Tract of land situated in Section 36, Township 3 South, Range 23 East, as shown on Plat of "Maxville Farms" recorded in Plat Book 3 on page 94 of the Public Records of Duval County, Florida; Said Tract being a portion of Farm Lot 10 of Section 36 as shown on said plat and more particularly described as follows:

Commence at the Northwest Corner of Section 36 and run S 88 deg 00 min 19 sec E,. along the North line of said Section 36, a distance of 30.02 feet to a concrete monument on the East Line of McClellan Road, a county right of way; thence run S 00 deg 13 min 57 sec E, along said right of way line, 1365.32 feet to a concrete monument on the Southerly line of Forest Trail Road No. 29, a county right of way as described in Official Records Book 5432, Page 235 of said public records; thence run S 62 deg 16 min 30 sec E, along said right of way line, 1190.95 feet to an Iron Rod and the Point of Beginning: thence continue S 62 deg 16 min 30 sec E, along said right of way line, 222.70 feet to an Iron Rod; thence run S 27 deg 43 min 30 sec W, 489.0 feet to an Iron Rod; thence run N 62 deg 16 min 30 sec W, parallel to said Forest Trail Road No. 29, a distance of 222.70 feet to an Iron Rod; thence run N 27 deg 43 min 30 sec E, 489.0 feet to the Point of Beginning. Said Tract containing 2.50 acres more or less.

RE# 001291-3250

CSV

MITIGATION LANDS:

Those lands owned by Normandy Mitigation LLC as of March 1, 2020 designated by the following RE#s:

RE#	001077 0000	RE#	001118 6000
	001088 0000		001118 7000
	001090 0000		001118 8000
	001091 0000		001118 9000
	001092 0000		001119 0000
	001094 0000		001119 1000
	001096 0000		001119 2000
	001108 1000		001119 3000
	001108 2000		001119 4000
	001108 3000		001119 5000
	001108 4000		001119 6000
	001108 5000		001123 0000
	001108 6000		001124 5010
	001108 7000		001127 0105
	001108 8000		001131 0000
	001108 9000		001131 0200
	001109 0000		001131 0300
	001109 1000		001131 0600
	001109 2000		001131 1000
	001117 3000		001136 0000
	001117 4000		001137 5000
	001117 5000		001138 2100
	001117 6000		001142 0000
	001117 7000		001142 1700
	001117 8000		
	001117 9000		
	001118 0000		
	001118 1000		
	001118 2000		
	001118 3000		
	001118 4000		
	001118 5000		

Actual acreage: 819.46

To: CSV